This entire chapter has been notified using the RMA Part One, Schedule 1 process (P1 Sch1).

Tūāhanga

Infrastructure

Infrastructure

INF

Introduction

Infrastructure plays a critical role in the successful functioning of Wellington City and the lives of Wellingtonians. Whether it is the provision or disposal of water through the three waters network, facilitating the movement of people and goods through the transport network, or in the provision of infrastructure by network utility operators, infrastructure is central to our daily lives.

This chapter of the District Plan seeks to provide for the operation, maintenance and development of infrastructure within the City. The definition of Infrastructure in the RMA includes "structures for transport on land by cycleways, rail, roads, walkways, or any other means". Given this, the Infrastructure Chapter includes provisions for the transport network matters concerning the operation, maintenance, repair and renewal, upgrading and development of the transport network and connections to the transport network.

Infrastructure is critical for the economic, social, cultural and environmental wellbeing of people and communities, and to provide for their health and safety at a national, regional and local scale, including through:

- 1. The effective, safe, secure and efficient transmission or distribution of electricity, gas, fuel or energy;
- 2. An integrated, efficient and safe transport network for the movement of people and goods by land, air or water, including public transport, walking, cycling, private vehicles;
- 3. Effective, reliable and future-proofed communications networks and services; and
- 4. Effective, resilient, efficient and safe water, wastewater and stormwater, networks and services.

However, infrastructure can also give rise to adverse effects on surrounding land uses and the environment which require consideration. Likewise, surrounding land uses can give rise to reverse sensitivity effects on infrastructure. This chapter sets out provisions addressing these effects.

The provisions within this chapter apply on a City-wide basis. As such the rules in the zone chapters and earthworks chapter do not apply to infrastructure unless specifically stated within an infrastructure rule or standard. Likewise, the rules in the <u>following</u> overlay chapters do not apply to infrastructure <u>unless specifically</u> stated in an infrastructure rule or standard:

- Three Waters
- <u>Renewable Electricity Generation</u>
- Natural Hazards
- Historic Heritage
- Notable Trees
- Sites and Areas of Significance to Māori
- <u>Viewshafts</u>
- Ecosystems and Indigenous Biodiversity

- Natural Character
- Natural Features and Landscapes
- Public Access
- <u>Coastal Environment</u>
- Earthworks.

Instead, these matters are addressed within the Infrastructure chapter and the following Infrastructure subchapters address the requirements particular to the overlays as follows:

- INF-CE (Coastal Environment and Natural Character);
- INF-ECO (Significant Natural Areas Ecosystems and Indigenous Biodiversity);
- INF-NFL (Outstanding Natural Landscapes, Outstanding Natural Features, Special Amenity Landscapes, Ridgelines and Hilltops-Natural Features and Landscapes);
- INF-NG (National Grid);
- INF-NH (Natural Hazards); and
- INF-OL (Other Overlays).

The provisions of the overlay sub-chapters apply in addition to the provisions of this chapter. In the case of conflict with any provisions of this chapter and a sub-chapter, the provisions of the sub-chapter will prevail.

Further, the Resource Management Act, and therefore the District Plan, share the same broad definition of 'infrastructure', which includes airport and port facilities, and renewable electricity generation. Notwithstanding that, this the rules within the Infrastructure Chapter (including the infrastructure sub chapters) doeses not apply to activities that fall under the definition of airport activity purposes or airport related activityies (and are located within which are dealt with in the Airport Zone chapter), er-or the definition of port or operational port activities (and are located within which are dealt with in the Port Zone chapter), or the definition of Renewable Electricity Generation Activity (which are dealt with in the Renewable Electricity Generation chapter). Any infrastructure in the airport or port zones areas that is inconsistent with does not meet those definitions is managed by the provisions in this Infrastructure Chapter, including management of the Moa Point Seawall, as mapped in the ePlan. The Infrastructure Chapter (including the infrastructure sub chapters) also does not apply to activities that fall within the definition of Renewable Electricity (which are dealt with in the Renewable Electricity Generation chapter) activities that fall within the definition of Renewable Electricity Generation chapter).

Lastly, the Act and therefore District Plan definition of 'infrastructure' includes three waters infrastructure. The Three Waters chapter applies in terms of land development effects on three waters infrastructure, however this chapter applies to the construction, operation and maintenance of the infrastructure itself.

Infrastructure which is proposed to be located within legal road is subject to the provisions of this chapter. All roads have an underlying zoning, and as such the zone based provisions in this chapter apply.

Additional regulatory requirements, separate to the District Plan, are also relevant to infrastructure, including:

- 1. The National Policy Statement on Electricity Transmission;
- 2. The Resource Management (National Environmental Standards for Electricity Transmission Activities) Regulations 2009 (NESETA);
- 3. The Resource Management (National Environmental Standards for Telecommunication Facilities) Regulations 2016(NESTF);
- 4. The National Code of Practice for Utility Operators' Access to Transport Corridors;
- 5. The New Zealand Electrical Code of Practice for Electrical Safe Distances (NZECP 34:2001); and
- 6. Electricity (Hazards from Trees) Regulations 2003.

In the case of conflict with any provision of this plan and any national environmental standard (including the NESETA or the NESTF), under Section 43B of the Act the provisions of the national environmental standards will prevail.

Other relevant District Plan provisions

It is important to note that in addition to the provisions in this chapter, the following Part 2: District-Wide chapters may also be of relevance, including:

- Subdivision The Subdivision Chapter contains provisions which manage subdivision of land.
- Light and glare The Light Chapter contains specific provisions relating to light spill and the management of effects on residential areas.
- **Noise** The Noise Chapter contains specific controls in relation to noise, including effects standards NOISE-S1 (maximum noise levels).
- **Signs** The Signs Chapter contains specific controls in relation to signage, including official signs, the effects of signs on road safety, and third party signage.
- **Contaminated land** The Contaminated Land Chapter manages the use and development of Contaminated Land or potentially Contaminated Land.
- Hazardous substances The Hazardous Substances Chapter contains provisions to manage Hazardous Substances.
- **Trees** The Notable Tree chapter contains specific provisions relating to the management of Notable Trees.

• **Designations**

Resource consent may therefore be required under rules in this chapter as well as other chapters. Unless specifically stated in a rule or in this chapter, resource consent is required under each relevant rule. The steps to determine the status of an activity are set out in the General Approach chapter.

Objectives	
INF-O1	The benefits of infrastructure
	The national, regional and local benefits of infrastructure are recognised and provided for.
INF-O2	Adverse effects of infrastructure
	The adverse effects of infrastructure on the environment are managed, while recognising:
	1. The functional and operational need of infrastructure; and 2. That positive effects of infrastructure may be realised locally, regionally or nationally.
INF-O3	Adverse effects on infrastructure
	Protect regionally significant infrastructure from incompatible subdivision, use and development, that may compromise its efficient and safe operation.
	Manage the adverse effects, including reverse sensitivity effects or <u>of</u> subdivision use and development on the function and operation of <u>other</u> infrastructure.
INF-O4	Infrastructure availability
	Safe, effective and resilient infrastructure is available for, and integrated with, existing and planned subdivision, use and development.
INF-O5	Transport network
	The transport network:
	 Improves connectivity, enabling people of all ages and abilities, and goods to move safely and effectively regardless of transport mode; Supports well-functioning urban environments; Supports the health and well-being of people; and

	4. Supports development infrastructure, additional infrastructure and green infrastructure.
INF-O6	Amateur radio configurations
	The adverse effects of amateur radio configurations on the environment are managed.
Policies	
INF-P1	Recognising and providing for infrastructure
	Recognise the benefits of infrastructure by:
	 Enabling the safe, resilient, effective and efficient operation, maintenance, repair, minor upgrade or removal of existing infrastructure; Enabling investigation, monitoring and navigation activities associated with infrastructure operations; Providing for significant upgrades to, and the development of new infrastructure; and Providing for the functions and responsibilities of infrastructure as lifeline utilities during an emergency.
INF-P2	Coordinating infrastructure with land use, subdivision, development and urban growth
	Enable the efficient coordination, integration and alignment of infrastructure planning and delivery with land use, subdivision, development and urban growth so that <u>existing and</u> future land use and infrastructure is integrated, efficient and aligned <u>on an ongoing basis</u> .
INF-P3	Technological advances
	Provide flexibility to adopt new technologies for infrastructure that:
	 Allow for the re-use of redundant services and structures; Increase resilience, safety or reliability of networks and services; Result in environmental benefits or enhancements; or Promote environmentally sustainable outcomes.
INF-P4	Undergrounding of infrastructure
	Encourage the undergrounding of new infrastructure in urban areas where it is practicable and technically feasible.
INF-P5	Adverse effects of infrastructure
	Manage the adverse effects of upgrades to, or the development of new infrastructure, including effects on: 1. Natural and physical resources;
	 Amenity values; Sensitive activities;
	4. The identified values of Overlays;5. The safe and efficient operation of other infrastructure; and6. The health, well-being and safety of people and communities.
INF-P6	Consideration of the adverse effects of infrastructure
	When considering the adverse effects of infrastructure on the environment recognise that there may be situations where all adverse effects, including construction effects, cannot be avoided, and as such must be remedied or mitigated through having regard to the following:
	 The extent to which adverse effects can be avoided, remedied or mitigated may be constrained by the functional or operational need of the infrastructure; The time, duration, or frequency of adverse effects;

	 The necessity of the infrastructure including: a. The need to quickly repair and restore disrupted services; and b. The impact of not operating, repairing, maintaining, upgrading, removing or developing infrastructure; Existing infrastructure including: a. The complexity and connectedness of networks and services; and b. The potential for co-location and shared use of infrastructure corridors; Anticipated outcomes for the receiving environment and the degree to which past modifications have compromised the achievement of those outcomes; The benefits derived from the infrastructure at a local, regional and national scale; and The extent to which the infrastructure is integrated with, and necessary to support, planned urban development.
INF-P7	Incompatible Subdivision, Use and Development Reverse sensitivity
	Avoid or where appropriate, manage activities that may compromise the efficient operation, maintenance, repair, replacement, upgrading, renewal or development of regionally significant infrastructure.
	Manage the establishment or alteration of sensitive activities near existing lawfully established infrastructure, including by:
	 Requiring subdivision of sites containing the National Grid to: a. Retain the ability for the network utility operator to access, operate, maintain, repair and upgrade National Grid; and b. Ensure that future buildings, earthworks and construction activities maintain safe electrical clearance distances under all building and National Grid operating conditions;
	 Managing land disturbance and activities sensitive to gas transmission to avoid or mitigate potential adverse effects of, and on, <u>the</u> gas transmission <u>pipelines network</u>; Requiring subdivision of sites containing a gas transmission <u>pipeline network</u> to retain the ability for the network utility operator to access, operate, maintain, repair and upgrade the gas transmission <u>pipelines network</u>; and Managing the activities of others through <u>methods such as</u> set-backs and design controls where it is necessary to achieve appropriate protection of infrastructure.
INF-P8	Amateur radio configurations
	Design, construct and locate amateur radio configurations to minimise adverse effects on the existing and anticipated amenity of adjoining properties and the surrounding area.
INF-P9	Upgrading and development of the transport network
	Enable the upgrading and development of the transport network where, as far as practicable, it: 1. Integrates with the existing transport network and any other planned network upgrades or
	 A megrates with the existing transport network and any other planned network upgrates of development; 2. Does not compromise the safe and effective functioning of the transport network; 3. Responds to site and topographical constraints including opportunities to reduce the effects of earthworks on landscape and ecological values; 4. Provides for high levels of connectivity within and between transport modes; 5. Provides for pedestrian, cycling and micromobility safety and connectivity including access to and usability of public open spaces and access to public transport services; and 6. Provides transport corridors which: a. Allocate adequate space in the corridor for walking, cycling, micromobility, public transport (including stops), loading and parking, vehicles, infrastructure and street trees; and b. Include street trees that are suitable for their specific locations in the road reserve, where these:

	 i. Are a species appropriate to the site's growing conditions including soil, slope, aspect, wind, drought and salt tolerance; ii. Contribute to high quality public amenity through species diversity, habitat and food source value and appearance (mature height, stem girth and form); iii. Have low maintenance requirements and high tolerance to pruning; iv. Are selected and sited to minimise safety risks for pedestrians, especially at night; v. Are sited to avoid compromising traffic safety sightlines in respect of traffic lights, signs, intersections, bus stops, pedestrian crossings and vehicle crossings; and vi. Are sited and planted to avoid compromising buildings, structures or infrastructure.
INF-P10	Classification of roads
	Classify roads according to the Waka Kotahi New Zealand Transport Agency <u>Waka Kotahi</u> 's One Network Framework.
INF-P11	Connections to roads
	- Enable safe and effective connections between sites and the transport network by requiring connections to roads to address:
	 The One Network Framework classification, characteristics and operating speed of the road and the number and types of vehicles accessing the site; Opportunities to share and minimise the number of connections; Public health and safety including the safe functioning of the transport network and the safety of pedestrians, cyclists and micromobility device users; and Site or topography constraints including reduced visibility.
INF-P <u>11</u> 42	Infrastructure within roads
	Encourage the use of roads for other infrastructure, including where it is accordance with the National Code of Practice for Utility Operators' Access to Transport Corridors 2019.
INF-P <u>12</u> 13	Infrastructure within riparian margins
	Provide for infrastructure within riparian margins where:
	 Natural character is maintained; and The infrastructure activity is designed to minimise the adverse effects on the natural character.
Rules for Infra	structure - General
INF-R1	Operation, maintenance and repair, or removal of existing above and underground infrastructure and ancillary vehicle access tracks
All Zones	1. Activity status: Permitted
	Where:
	 a. All above ground structures that are no longer required for the operation of the infrastructure are removed within twelve months of being replaced or becoming redundant; b. Compliance is achieved with INF-S1; and c. Compliance is achieved with the following standards: In relation to existing underground infrastructure, INF-S2; INF-S3; and INF-NG-S18S12.

All Zones	2. Activity status: Restricted Discretionary
	Where:
	a. Compliance with INF-R1.1.a and <u>or</u> INF-R1.1.c cannot be achieved.
	Matters of discretion are:
	1. The matters set out in INF-P1, INF-P3, INF-P5 and INF-P6.
All Zones	3. Activity status: Non-Complying
	Where:
	a. Compliance with INF-R1.1.b cannot be achieved.
INF-R2	New underground infrastructure (including customer connections), and upgrading of existing underground infrastructure
All Zones	1. Activity status: Permitted
	Where:
	a. Compliance is achieved with INF-S1; and b. Compliance is achieved with the following standards: i. INF-S2;
	ii. INF-S3; iii. INF-S7; and iv. INF- <u>NG-S18<mark>S12</mark></u>
	Note: Aboveground ancillary structures are provided for in INF-R7.
All Zones	2. Activity status: Restricted Discretionary
	Where:
	a. Compliance with INF-R2.1.b cannot be achieved.
	Matters of discretion are:
	 The matters set out in INF-P1, INF-P3, INF-P4, INF-P5 and INF-P<u>1213-, and, specific to</u> activities directly associated to the National Grid, INF-NG-P58, INF-NG-P61 and INF-NG- P62.
All Zones	3. Activity status: Non-Complying
	Where:
	a. Compliance with INF-R2.1.a cannot be achieved.
INF-R3	Upgrading of existing aboveground infrastructure
All Zones	1. Activity status: Permitted
	Where:
	a. Compliance is achieved with INF-S1; and b. Compliance with the following standards is achieved: i. INF-S3; ii. INF-S4; and iii. INF- <u>NG-S18</u> S 12 .

	2 Activity status Destricted Discussions
All Zones	2. Activity status: Restricted Discretionary
	Where:
	a. Compliance with the requirements of INF-R3.1.b cannot be achieved.
	Matters of discretion are:
	1. The matters set out in INF-P1, INF-P2, INF-P3, INF-P5 and INF-P6.
All Zones	3. Activity status: Non-Complying
	Where:
	a. Compliance with INF-R3.1.a cannot be achieved.
INF-R4	New vehicle access tracks for infrastructure
All Zones	1. Activity status: Permitted
	Where:
	a. Compliance is achieved with INF-S3 and INF-S7.
All Zones	2. Activity status: Restricted Discretionary
	Where:
	a. Compliance with any of the requirements of INF-R4.1 cannot be achieved.
	Matters of discretion are:
	1. The matters set out in INF-P1, INF-P2, INF-P5, INF-P6 and INF-P <u>12</u> 13., and, specific to activities directly associated to the National Grid, INF-NG-P58 and INF-NG-P62.
INF-R5	New aboveground customer connections line
All Zones	1. Activity status: Permitted
	Where:
	a. Compliance is achieved with INF-S5.
All Zones	2. Activity status: Restricted Discretionary
	Where:
	a. Compliance with any of the requirements of INF-R5.1 cannot be achieved.
	Matters of discretion are:
	1. The matters set out in INF-P1, INF-P5 and INF-P6.
INF-R6	Temporary infrastructure
All Zones	1. Activity status: Permitted
	Where:
	 a. All temporary infrastructure structures cease operating and are removed from the site within 12 months of the work commencing; b. Compliance is achieved with INF-S1; and

	c. Compliance is achieved with the following standards: i. INF-S3; ii. INF-S6; iii. INF-S7; iv. INF-S8; v. INF-S9; vi. INF-S10; vii. INF- <u>NG-S18</u> S12; and viii. INF-S <u>14</u> 15.
All Zones	2. Activity status: Restricted Discretionary
	Where:
	a. Compliance with the requirements of INF-R6.1.a or INF-R6.1.c cannot be achieved.
	Matters of discretion are:
	 The extent and effect of non-compliance with any relevant standard not met as specified in the associated assessment criteria for the infringed standard; and The matters set out in INF-P1, INF-P3, INF-P5, INF-P6 and INF-P<u>12</u>43
All Zones	3. Activity status: Non-Complying
	Where:
	a. Compliance with the requirements of INF-R6.1.b cannot be achieved.
INF-R7	Infrastructure Sstructures not otherwise managed by specific rules in this chapter associated with infrastructure including:
	1. Substations (including switching stations);
	2. Transformers;
	3. Gas transmission and distribution structures;
	4. Energy storage batteries not enclosed by a building; and
	5. Communications kiosks ,; and
	6. <u>Bus Sshelters; and</u>
	6. <u>Bus Sshelters; and</u> 7. <u>Electric Vvehicle Ccharging Sstations.</u>
All Zones	
All Zones	7. <u>Electric Vvehicle Ccharging Sstations.</u>
All Zones	7. Electric Vehicle Ccharging Sstations. 1. Activity status: Permitted

	Where:
	a. Compliance with the requirements of INF-R7.1.a, INF-R7.1.b or INF-R7.1.c cannot be achieved.
	Matters of discretion are:
	 The extent and effect of non-compliance with any relevant standard not met as specified in the associated assessment criteria for the infringed standard; and The matters set out in INF-P1, INF-P2, INF-P3, INF-P5, INF-P6, <u>INF-P9, INF-P11</u> and INF-P<u>1213-, and, specific to activities directly associated to the National Grid, INF-NG- P58 and INF-NG-P62.</u>
All Zones	3. Activity status: Non-Complying
	Where:
	a. Compliance with the requirements of INF-R7.1.d cannot be achieved.
INF-R8	New infrastructure contained within existing buildings
All Zones	1. Activity status: Permitted
	Where:
	a. Compliance is achieved with INF-S1.
All Zones	2. Activity status: Non-Complying
	Where:
	a. Compliance with the requirements of INF-R8.1.a cannot be achieved.
INF-R9	Navigational aids, sensing and environmental monitoring equipment (including air quality and meteorological)
All Zones	1. Activity status: Permitted
	Where:
	a. Compliance is achieved with the following standards: i. INF-S3; ii. INF-S6; iii. INF-S7; iv. INF-S8; and v. INF- <u>NG-S18</u> S12.
All Zones	2. Activity status: Restricted Discretionary
	Where:
	a. Compliance with the requirements of INF-R9.1.a cannot be achieved.
	Matters of discretion are:
	1. The matters set out in INF-P1, INF-P2, INF-P3, INF-P5, INF-P6 and INF-P <u>12</u> 43.
INF-R10	New overhead lines and associated support structures that convey <u>telecommunications</u> <u>or</u> electricity below 110kV, <u>and associated support structures.</u>
General Rural Zone	1. Activity status: Permitted

Large Lot Residential Zone General Industrial Zone Light Industrial Zone Airport Zone Hospital Zone Port Zone Stadium Zone	Where: a. Compliance is achieved with the following standards: i. INF-S3; ii. INF-S6; iii. INF-S7; iv. INF-S8; and v. INF- <u>NG-S18</u> S12.
Tertiary Education Zone	
General Rural Zone Large Lot Residential Zone General Industrial Zone Light Industrial Zone Airport Zone Hospital Zone Port Zone Stadium Zone Tertiary Education Zone	 Activity status: Restricted Discretionary Where: a. Compliance with any of the requirements of INF-R10.1 cannot be achieved. Matters of discretion are: The matters set out in INF-P1, INF-P2, INF-P5, INF-P6 and INF-P<u>1243, and, specific to activities directly associated to the National Grid, INF-NG-P58 and INF-NG-P62.</u>
All other Zones	3. Activity status: Discretionary

-

INF-R11	Telecommunications or radiocommunication activities (not otherwise provided for by another rule in this table and not regulated by the NESTF)
All Zones	1. Activity status: Permitted
	Where:
	 a. Compliance is achieved with the following standards: i. INF-S6; ii. INF-S7; iii. INF-S8; iv. INF-S9; v. INF-S10; and
	vi. INF-S12 <u>; and</u> vii.INF-S15.
	b. Compliance is achieved with INF-S1.
All Zones	2. Activity status: Restricted Discretionary
	Where:
	a. Compliance with the requirements of INF-R11.1 cannot be achieved.
	Matters of discretion are:
	 The extent and effect of non-compliance with any relevant standard not met as specified in the associated assessment criteria for the infringed standard; and The matters set out in INF-P1, INF-P2, INF-P5, INF-P7 and INF-P<u>12</u>13.
All Zones	3. Activity status: Non-Complying
	Where:
	a. Compliance with the requirements of INF-R11.1.b cannot be achieved.
INF-R12	New telecommunications poles and new antennas (regulated by the NESTF that do not meet the permitted activity standards in those Regulations)
All Zones	1. Activity status: Controlled
	Where:
	 a. The width of any panel antenna does not exceed 0.8m; b. The diameter of any dish antenna located in the road reserve does not exceed: 0.6m in a residential zone; or 0.9m in all other zones; c. The diameter of any dish antenna not located in the road reserve does not exceed: 0.6m in a residential zone; or 0.6m in a residential zone; or 2.0m in all other zones; d. Compliance is achieved with INF-S8; and e. Compliance is achieved with INF-S1.
	Matters of control are:
	 The functional and operational needs of, and benefits from, the infrastructure, including the potential impact on the levels of service or health and safety if the work is not undertaken; and The amenity values of the relevant zone and the extent to which any adverse visual
	amenity effects can be managed.

All Zones	2. Activity status: Restricted Discretionary
	Where:
	a. Compliance with any of the requirements of INF-R12.1.a, INF-R12.1.b, INF-R12.1.c and INF-R12.1.d cannot be achieved.
	Matters of discretion are:
	1. The matters set out in INF-P1, INF-P2, INF-P3, INF-P5, INF-P6 and INF-P <u>12</u> 13.
All Zones	3. Activity status: Non-Complying
	Where:
	a. Compliance with the requirements of INF-R12.1.e cannot be achieved.
INF-R13	New antenna attached to a building (regulated by the NESTF that do not meet the permitted standards in the NESTF)
All Zones	1. Activity status: Controlled
	Where:
	a. A new panel antenna does not exceed a maximum face area of 2m²; and b. The antenna does not exceed a height of 5m above the point of attachment to the building;
	 c. In any residential zone, the lowest point at which the antenna is attached to the building is at least 15m above the ground; and d. INF-S1 is complied with.
	Matters of control are:
	 The functional and operational needs of, and benefits from, the infrastructure, including the potential impact on the levels of service or health and safety if the work is not undertaken; and
	The amenity values of the relevant zone and the extent to which any adverse visual amenity effects can be managed.
All Zones	2. Activity status: Restricted Discretionary
	Where:
	a. Compliance with any of the requirements of INF-R13.1.a, INF-R13.1.b or INF- R13.1.c cannot be achieved.
	Matters of discretion are:
	1. The matters set out in INF-P1, INF-P2, INF-P3, INF-P5 and INF-P6.
All Zones	3. Activity status: Non-Complying
	Where:
	a. Compliance with the requirements of INF-R13.1.d cannot be achieved.
INF-R14	New telecommunications cabinets (regulated by the NESTF that do not meet the permitted standards of the NESTF)
All Zones	1. Activity status: Controlled

	Where:
	 a. A single, standalone telecommunications cabinet does not exceed a footprint of 2.5m² or a height of 2m; b. A group of telecommunications cabinets do not exceed a footprint of 3m²; and c. Compliance is achieved with INF-S7 and INF-S<u>14</u>15.
	Matters of control are:
	 The functional and operational needs of, and benefits from, the infrastructure, including the potential impact on the levels of service or health and safety if the work is not undertaken; and The amenity values of the relevant zone and the extent to which any adverse visual
	amenity effects can be managed.
All Zones	2. Activity status: Restricted Discretionary
	Where:
	a. Compliance with any of the requirements of INF-R14.1 cannot be achieved.
	Matters of discretion are:
	 The extent and effect of non-compliance with any relevant standard not met as specified in the associated assessment criteria for the infringed standard; and The matters set out in INF-P1, INF-P2, INF-P3, INF-P5, INF-P6 and INF-P<u>12</u>43.
INF-R15	Infrastructure buildings and structures not provided for by any other rule in this table
All Zones	1. Activity status: Permitted
	Where:
	 a. Compliance is achieved with all bulk and location standards for the zone in which the building or structure is located; b. Compliance is achieved with INF-S7 and INF-S<u>134</u>15; and c. Compliance is achieved with INF-S1.
All Zones	2. Activity status: Restricted Discretionary
	Where:
	a. Compliance with the requirements of INF-R15.1.a or INF-R15.1.b cannot be achieved.
	Matters of discretion are:
	 The extent and effect of non-compliance with any relevant standard not met as specified in the associated assessment criteria for the infringed standard; and The matters set out in INF-P1, INF-P2, INF-P3, INF-P5, INF-P6 and INF-P<u>1213-, and, specific to activities directly associated to the National Grid, INF-NG-P58, INF-NG-P61 and INF-NG-P62.</u>
All Zones	3. Activity status: Non-Complying
	Where:
	a. Compliance with the requirements of INF-R15.1.c cannot be achieved.
INF-R16	New electricity lines and associated support structures (including poles and towers) that convey electricity of 110kV or above

All Zones	1. Activity status: Restricted Discretionary	
	Matters of discretion are:	
	1. The matters set out in INF-P1, INF-P2, INF-P3, INF-P5, INF-P6 and INF-P <u>12</u> 43., and, specific to activities directly associated to the National Grid, INF-NG-P58, INF-NG-P61 and INF-NG-P62.	
INF-R17	New aboveground pipelines (that are not customer connections)	
All Zones	1. Activity status: Discretionary	
INF-R18	New water, wastewater and stormwater pump stations	
All Zones	1. Activity status: Permitted Where: a. Compliance is achieved with the following standards: i. INF-S2; ii. INF-S3; iii. INF-S6; iv. INF-S7; v. INF-S12; and vi. INF-S12415.	
All Zones	 2. Activity status: Restricted Discretionary Where: a. Compliance with any of the requirements of INF-R18.1 cannot be achieved. Matters of discretion are: The extent and effect of non-compliance with any relevant standard not met as specified in the associated assessment criteria for the infringed standard; and The matters set out in INF-P1, INF-P3, INF-P5, INF-P6 and INF-P1243. 	
INF-R19	New water treatment plants	
General Rural Zone Large Lot Residential Zone General Industrial Zone Light Industrial Zone Airport Zone Hospital Zone	1. Activity status: Permitted Where: a. Relevant zone bulk and location standards are complied with; and b. Compliance is achieved with the following standards: i. INF-S2; ii. INF-S3; iii. INF-S3; iii. INF-S7; iv. INF-S12;and v. INF-S <u>134</u> 15.	
Port Zone		

Stadium Zone	
Tertiary Education Zone	
General Rural Zone	2. Activity status: Restricted Discretionary
Large Lot Residential Zone	Where: a. Compliance with any of the requirements of INF-R19.1 cannot be achieved.
General Industrial Zone	 Matters of discretion are: 1. The extent and effect of non-compliance with any relevant standard not met as specified in the associated assessment criteria for the infringed standard; and 2. The matters set out in INF-P1, INF-P2, INF-P3, INF-P5, INF-P6 and INF-P<u>12</u>13.
Light Industrial Zone	
Airport Zone	
Hospital Zone	
Port Zone	
Stadium Zone	
Tertiary Education Zone	
All other Zones	3. Activity status: Discretionary
INF-R20	New wastewater treatment plants
General Rural Zone	1. Activity status: Restricted Discretionary
Large Lot Residential Zone	Matters of discretion are: 1. The matters set out in INF-P1, INF-P2, INF-P3, INF-P5, INF-P6 and INF-P <u>12</u> 13.
General Industrial Zone	
Light Industrial Zone	
Airport Zone	
Hospital Zone	

Port Zone	
Stadium Zone	
Tertiary Education Zone	
All other Zones	2. Activity status: Discretionary
INF-R21	Amateur radio configuration
All Zones	1. Activity status: Permitted
	Where:
	a. Compliance is achieved with INF-S7 and INF-S11; and b. Compliance is achieved with INF-S1.
All Zones	2. Activity status: Restricted Discretionary
	Where:
	a. Compliance with any of the requirements of INF-R21.1.a cannot be achieved.
	Matters of discretion are:
	1. The matters set out in INF-P8 and INF-P <u>12</u> 13.
All Zones	3. Activity status: Non-Complying
	Where:
	a. Compliance with the requirements of INF-R21.1.b cannot be achieved.
INF-R22	Buildings, structures and activities in the National Grid Yard
- All Zones	1. Activity status: Permitted
	Where:
	 a. The activity is not a sensitive activity; b. The building or structure is not used for the handling or storage of hazardous substances (Hazardous Substances (Hazard Classification) Notice 2020) with explosive or flammable intrinsic properties (except this does not apply to the accessory use and storage of hazardous substances in domestic scale quantities); and c. The structure is a fence not exceeding 2.5m in height; d. The building is an uninhabited farm or horticultural structure or building (but not commercial greenhouses, protective canopies, wintering barns, produce packing facilities, or milking/dairy sheds (excluding ancillary stockyards and platforms); e. Alterations and additions to an existing building or structure for a sensitive activity, which does not involve an increase in the building height or building footprint; or f. An accessory building associated with an existing residential activity that is less than 10m² in footprint and 2.5m in height; g. Infrastructure undertaken by a network utility operator as defined in the Resource
	Management Act 1991 or any part of electricity infrastructure that connects to the National Grid; and h. Compliance is achieved with INF-S12.

All Zones	2. Activity status: Non-complying
	Where:
	a. Compliance with INF-R22.1 cannot be achieved.
	-
	Notification status: – An application for resource consent made in respect of rule INF-R22.2 is precluded from being publicly notified.
	Notice of any application for resource consent under this rule must be served on Transpower New Zealand Limited in accordance with Clause 10(2)(i) of the Resource Management (Forms, Fees, and Procedures) Regulations 2003.
INF-R <u>22</u> 23	Sensitive activities, including the erection of buildings for sensitive activities, within the Gas Transmission Pipeline Corridor <u>Network</u>
All Zones	1. Activity status: Restricted Discretionary
	Matters of discretion are:
	 The extent to which the proposed activities are likely to compromise the stability and integrity of the gas transmission pipeline <u>network</u> and the operation, maintenance and upgrading of the <u>pipeline network</u>;
	 The risk of hazards affecting public or individual safety, and the risk of property damage; Measures proposed to avoid or mitigate potential adverse effects on the gas transmission pipeline network; The outcome of any consultation with the owner and operator of the gas transmission
	 5. Whether the sensitive activity could be located a greater distance from the gas transmission transmission pipelines network.
	Notification status:
	An application for resource consent made in respect of rule INF-R23 is precluded from being publicly notified.
	Notice of any application for resource consent under this rule must be served on the owner and operator of the Gas Transmission Pipeline Network in accordance with Clause 10(2)(i) of the Resource Management (Forms, Fees, and Procedures) Regulations 2003.
	Note:
	 This rule also applies to the establishment of a sensitive activity in an existing building, or any change of land use to a sensitive activity. If a resource consent application is made under this rule, the owner and operator of the gas transmission pipelines network will be considered an affected person in accordance
	with section 95E of the Act and notified of the application, where written approval is not provided.
INF-R24	Connections to roads-
- All Zones	1. Activity status: Permitted
	Where:
	a. The connection provides site access for sites with no driveway, on-site parking or loading; and b. Compliance is achieved with INF-S16;

All Zones	er c. The connection provides site access to an Urban Road (except a Transit Corridor) or a Rural Road (except National Highway) as identified in mapped in the road classification overlay; and d. Compliance is achieved with INF-S17. 2. Activity status: Restricted Discretionary Where: a. Compliance with the requirements of INF-R24.1 cannot be achieved. - Matters of discretion are:
INF-R23 25	1. The matters in INF-P13. New roads
All Zones	1. Activity status: Restricted Discretionary
	Where:
	a. Compliance is achieved with the following standards:
	 i. INF-S3; ii. INF-S<u>16</u>48; and iii. Compliance with the requirements of New Zealand Standard NZS6806:2010 Acoustics — Road Traffic Noise — New and Altered Roads. Clause iii shall apply only to new roads predicted to carry at least 2,000 annual average daily traffic (AADT) at the design year. In circumstances where NZS6806:2010 Acoustics — Road Traffic Noise — New and Altered Roads does not apply, as listed in paragraph 1.3.1 of NZS6806:2010 Acoustics — Road Traffic Noise — New and Altered Roads.
	 Matters of discretion are: The classification of the proposed road and how the proposed aligns with INF-S<u>12</u>13; and Design of the road; and Number, species and location of street trees, and any other planting conditions. Section 88 information requirements for applications: Applications under this rule must provide, in addition to the standard information requirements: A detailed design road safety audit in accordance with the NZTA Road Safety Audit Procedures for Projects — Guidelines, Transfund New Zealand Manual No. TFM9 2013; and A classification assessment of the proposed road(s) against the Waka Kotahi New Zealand Transport Agency Waka Kotahi One Network Framework 2021.
All Zones	2. Activity status: Discretionary
	Where:
	a. Compliance with the requirements of INF-R25.1 cannot be achieved.
	Section 88 information requirements for applications:

	 Applications under this rule must provide, in addition to the standard information requirements: A detailed design road safety audit in accordance with the NZTA Road Safety Audit Procedures for Projects — Guidelines, Transfund New Zealand Manual No. TFM9 2013; and A classification assessment of the proposed road(s) against the Waka Kotahi New Zealand Transport Agency Waka Kotahi One Network Framework 2021 	
INF-R <u>24</u> 26	Structures and vegetation near railway level crossings	
All Zones	1. Activity status: Permitted	
	Where:	
	a. Compliance is achieved with INF-S <u>15</u> 14.	
All Zones	2. Activity status: Discretionary	
Standards		
INF-S1	Health and safety	
All Zones	 The maximum exposure levels must not exceed the levels specified in NZS 2772:1999 'Radiofrequency Fields — Maximum exposure levels — 3kHz to 300 GHz.'; and Infrastructure that emits electric and magnetic fields must comply with the International Commission on Non-ionising Radiation Protection Guidelines for limiting exposure to time-varying electric and magnetic fields (1 Hz — 100 Hz), Health Physics 99(6):818-836; 2010, and the recommendations from the World Health Organisation monograph Environmental Health Criteria (No 238, 2007). 	
INF-S2	Underground infrastructure	
All Zones	 The utility structures must be located underground and must not be on or within a natural waterbody, except where it is: a. Attached to and/or incorporated within an existing bridge structure; b. Within an existing attached conduit or duct; or c. Installed beneath a waterbody (without disturbance of the bed). For the installation or upgrading of pipelines, a gauge pressure of 2000 kilopascals must not be exceeded. 	
INF-S3	Earthworks	
All Zones	 Earthworks must not create a dust nuisance; As soon as practical, but not later than three months after the completion of earthworks or stages of earthworks, the earthworks area must be stabilised with 	

i	
	 vegetation or sealed, paved, metalled or built over; 3. Trenching must be progressively closed and stabilised such that no more than 120m of continuous trench is exposed to erosion at any one time; 4. Land disturbed for the operation, repair, renewal, upgrading or maintenance of utilities must be stabilised by re-vegetation, grassing or other suitable means as soon as practicable after completion of the works to avoid erosion and scouring; and 5. Works must not result in any instability of land or structures at or beyond the boundary of the property where the land disturbance occurs.
INF-S4	Upgrading of aboveground infrastructure
All Zones	 The realignment, relocation or replacement of a line, pipe (excluding a liquid petroleum or gas transmission pipelines <u>network</u>), telecommunication pole, pole, tower, conductor, switch, transformer or ancillary structure must be located within 5m of the existing structure; A pole must not be replaced with a tower; A replacement pole, tower or telecommunication pole must not exceed the height of the replaced pole or tower or telecommunication pole, or the maximum structure height provided for in INF-S8, whichever is higher; The diameter or width of a replacement pole or telecommunications pole: a. Must not exceed this pole is replaced with a pi pole, the width of the pi pole structure must not exceed 4.2m; A replacement tower's footprint must not exceed the width of the tower by more than 25%; The upgrade must not include additional towers; A maximum of two additional poles may be provided where it is necessary to achieve the conductor clearances required by NZECP 34:2001; and The realignment, relocation or replacement of any other structure or building; Must not increase the footprint of the structure or building; Must not increase the footprint of the structure or building;
INF-S5	New aboveground customer connections
L	

All Zones	 The connection must not exceed three additional poles; and The diameter of conductors, lines, pipes or cables must not exceed 30mm<u>4</u>3mm.
INF-S6	Structures
All Zones	 The height of new buildings and structures must not exceed a maximum height of 3.5 metres; or The maximum area of new buildings and structures is: a. 20m² in Residential Zones; or b. 30m² in all other Zones.
INF-S7	Riparian setbacks
All Zones	 No infrastructure shall be located on or in land within 10 metres of the bed of any river. This setback does not apply to infrastructure that is located within formed legal road or crosses a river along a bridge, or for infrastructure that is installed via trenchless methods where: Access pits for the trenchless method does not exceed 1m²; Erosion and sediment control measures are installed around the access pit; and The access pit is reinstated in a manner which achieves the same surface as prior to works taking place.
INF-S8	Height of <u>electricity and telecommunication poles and associated antennas, lines and single pole support structures and meteorological masts</u>
All Zones	 Telecommunication poles, associated antennas, lines and single pole support structures, must not exceed a maximum height of the permitted height for the relevant zone, plus 5 metres; A further 5 metres in height is afforded where two or more infrastructure providers are co-located on the same structure; Meteorological masts must not exceed a maximum height of the permitted height for the relevant zone, plus 25 metres, except for a Residential Zone where the maximum height is the zone height; and Where a telecommunication pole and associated antennas, lines and single pole support structure and meteorological masts are located on a site that is not road reserve and adjoins a Residential Zone boundary, the relevant building recession plane standard for that boundary must be complied with.
INF-S9	Antenna size
All Zones	1. A panel antenna: a. must not exceed a width of 0.7m; and

<u> </u>	
	 b. when in a road reserve, must fit within an envelope of 3.5m in length and 0.7m in width; 2. A dish antenna must not exceed a diameter of 1.2m; 3. Omni directional 'whip' or dipole antenna must not exceed: a. 1.6m in vertical length; b. 60mm in diameter; and c. 1.5m in horizontal length; 4. A headframe must not exceed: a. 2.5m in diameter in Residential Zones (except when located in a road); or b. 6m in diameter in all other zones.
INF-S10	Height of antenna attached to buildings
All Zones	 If the antenna is attached to a vertical surface, the top of the antenna must not extend more than 5m above the top of that surface, directly above the point at which the antenna is attached to the building; or In all other cases, the top of the antenna mist not be more than 5m above the point at which the antenna is attached to the building; and If the building is in a Residential Zone, the lowest point at which the antenna is attached to the building must be at least 15m above the ground.
INF-S11	Amateur radio configurations
All Zones	 Supporting structures and poles must comply with the following: Must not exceed 102mm in diameter; or A maximum of one support structure greater than 102mm where the maximum height of the supporting structure must not exceed the relevant zone building height, the horizontal diameter of the pole or supporting structure must not exceed 800mm, the structure must not exceed 800mm, the structure must be set back 1.5m from any boundary, and any guy wires used to support the pole must not exceed 10mm in diameter; Dish antennas located less than 5m above ground must not exceed a maximum horizontal diameter of 4m and must have a minimum boundary setback of 1m. Dish antennas situated more than 5m above ground have a maximum diameter of 1.2m; and The maximum height of antennas mounted on buildings using a supporting structure less than 102mm diameter shall be 18m in the Residential Zones and 18m or the relevant permitted or actual Building Height

	plus 5m (whichever is greatest) in all other Zones.
INF-S12	Buildings, structures and activities in the National Grid Yard
All-Zones	 1. The building or structure must have a minimum vortical clearance of 10m below the lowest point of a conductor under all transmission line and building operating conditions; or 2. Must meet the safe electrical clearance distances required by New Zealand Electrical Code of Practice for Safe Electrical Distances (NZECP 34:2001) ISSN 01140663 under all transmission line and building operating conditions; 3. The building or structure must be located at least 12m from the outer visible edge of a foundation of a National Grid transmission line tower or pole, except where it: a. Is a fence not exceeding 2.5m in height that is located at least: b. Brom the outer visible edge of a foundation of a National Grid transmission line tower; or it. 5m from the outer visible edge of a foundation of a National Grid transmission line pole. b. Is an artificial crop protection structure or error support 2.5m in height and located at least 3m from a National Grid transmission line pole. b. Is an artificial crop protection structure or error support 2.5m in height and located at least 3m from a National Grid transmission line pole that: i. Is removable or temporary to allow a clear working space of 12m from the pole for maintenance; and ii. Allows all weather access to the pole and a sufficient area for maintenance; and ii. Allows all weather access to the pole and a sufficient area for maintenance; and iii. Meets the requirements of clause 2.4.1 of New Zealand Electrical Code of Practice for Safe Electrical Distances (NZECP 34:2001) ISSN
INE \$1212	01140663. Design of roads
INF-S <u>12</u> 13	Design of roads 1. Roads must provide for traffic in
	 accordance with Table 1 — INF: Design of Roads — One Network Framework; 2. Roads must be designed to achieve design speeds in accordance with Table 1 — INF: Design of Roads — One Network Framework; 3. Roads must have at least the minimum widths in accordance with Table 1 — INF:

Design of Roads — One Network	
Framework:	
a. Minimum total, legal width; and	
b. Minimum width to provide for:	
i. Pedestrians;	
ii. Cycling;	
iii. Micromobility;	
iv. Stationary vehicles including car	
parking, bus stops, loading	
areas as well as build outs for	
traffic calming or additional	
infrastructure;	
v. Vehicles;	
vi. Infrastructure; and	
vii. Street trees.	
4. The maximum gradient of roads must be in	
accordance with Table 1 — INF: Design of	
Roads — One Network Framework;	
5. Curves in roads must meet the following	
minimum values:	
a. K Values for crest vertical curves and	
sag vertical curves must be in	
accordance with Table 4 — INF: Road	
Vertical Curves and Horizontal	
Curves; and	
b. R Values for horizontal curves must	
be in accordance with Table 4 — INF:	
Road Vertical Curves and Horizontal	
Curves.	
Street trees must be provided in	
accordance with:	
a. Table 1 — INF: Design of Roads —	
One Network Framework;	
b. Street trees must not be planted in the	
Infrastructure Berm;	
c. When street trees are required in	
accordance with Table 1 — INF:	
Design of Roads — One Network	
Framework, they must be provided in	
accordance with the number of trees	
per Size Class at Maturity set out in	
Table 2 — INF: Street Trees-and	
species in accordance with Table 3	
INF: Street Tree Species List;	
d. Street tree planting must meet the	
requirements set out in Table 2 —	
INF: Street Trees for the following:	
i. Horizontal Setback Distances	
from Underground Infrastructure;	
ii. Horizontal Setback Distances	
from Structures;	
iii. Minimum Berm Width;	
iv. Minimum Topsoil Depth; and	
v. Minimum Soil Volume.	
7. Each street tree must be provided with a	
root barrier to a depth of 600mm below the	
surface; and	
 Streetlighting must be provided in accordance with the following: 	

a. Streetlighting must be designed in accordance with NZ Transport Agency	
document M30 Specification and	
Guidelines for Road Lighting Design (2014);	
b. Streetlighting lamps must be on the	
NZ Transport Agency List of M30 Approved Luminaires (2021);	
c. Streetlighting columns must be in accordance with the NZ Transport	
Agency M26:2012 and M26A:2017 Specification for Lighting Columns; and	
d. Streetlighting columns in Local Street, Activity Street, Main Street, Urban Corridor or Rural Road must be a minimum of 8m in height.	


Table 1 — INF: Design of Roads — One Network Framework


One	Expect	Targ	Maxim	Minimu	m widt	:h (m)					Numb
Network Framewor k Classificat ion	ed maxim um vehicle volume (vehicl es per day)	et spee d (km/ h)	um gradie nt	Footp ath	Cycl es	Traffic (must provide unhinde red vehicle access includin g firetruck access)	 Stationar y vehicles (parking/ bus stop/loadi ng) and Build outs for cycle and micromo bility parking, street trees Passing bays 	Infrastruct ure berm	Stre et tree ber m	Leg al widt h	er of street trees


ocal Street 15 P3 No ′ehicle Acces ′at Frontage	250	10	12.5%	2 x 1.8	0	1 x 3.5	1 x 2.5 (alternatin g sides of road)	2 x 1.0	0	11.6	As pe Table 2 – INF: Stree Trees
ypical Plan a	nd Cros	s Secti	on								11000
ELEMENT	MINIMUM WIDTH										
() Infrastructure Berm	2×1.0m										
O Footpath	2 x 1.8m						100	· .			
Steef Iree Berming	Not included						12	al .			
Stationary Vehicles and Build Out Shared Movement	1 x 2.5m (Alternating Sider) 1 x 3.5m						AN A	at			
Total Width (Legal Width)	11.6m						and a short		-		
Torget Speed	10km/h						19 A	3	1		
Expected Maximum Vehicles Per Day	250										
Maximum Gradient	12.5%				8				1		
		0	5								

ocal Street M5 23	1000	30	12.5%	2 x 1.8	0	2 x 2.9	0	2 x 1.0	2 x 2.0	15.4	As per Table 2 – INF: Street Trees
ypical Pla	an and	Cross S	Section		_						
ELÉMENT	Lunner	M WIDTH									
() infrastructure	10000-00P	1.0m									
O Footpath	0.0 23	1.8m					×	and the second sec			
O Steef Tree Br	em 2)	2.0m				E.		NIN .			
Stationary Ve and Build Out	hicles Not I	ncluded					-		and and a state of the state of		
0 Itaffe		2.9m					No.	j. 1			
Total Width (Legal Width)	1	5.4m				A	*	6	14/		
Target Speed		km/h			. (His	1	12	PO C	1-		
Expected Mo		1000			100		1	-			
Vehicles Per Maximum Gr	Day	2.5%			Contra la					100	
				- A	A.						
	STREET N	15 P3	- o'								

Local Street M5 P4 [e.g. Bickerton Rise, Churton Park]	2000	30	12.5%	2 x 1.8	0	2 x 3.0	1 x 2.2	2 x 1.0	2 x 2.0	17.8	As per Table 2 – INF: Street Trees
ELEMENT Contractions Contrac	MBBAUM Bern 2x1 2x1 encies 1x2 encies	wiph An An An An An An An An An An	ction						ł		
NORE-WOOTR	STREET MS	5 1'4 (5									







Urban Connector [e.g. Burma Rd, Middleton Rd]	8000	50	12.5%	2 x 1.8	2 x 2.0	2 x 3.2	2 x 2.6	2 x 1.0	2 x 2.0	25.2	As per Table 2 – INF: Street Trees
ELEMENT Control of Footporth Strationary Vehi and Build Out Strationary Vehi Cycles Total Targer Speed Bopeched Maia Vehicles Per Do Mainwar Gred	MBB/MUA // erm 2 × 1.0 m 2 × 1.2 m 2 × 2.4 2 × 2.4 2 × 2.4 2 × 2.4 2 × 2.4 2 × 2.5 25.27 mum 8000	none m m m m h	ection							-	
Transit Corridor [e.g. Hutt Rd, Wellington]		Discr	etionary re	source c	onsent re	quired					
Rural											
Rural Stopping Place		Discre	etionary re	source co	onsent re	quired					

Rural Road [e.g. Takarau Gorge Rd]	2500	60	12.5%	1 x 2.5 (shared, separate d path)	0	2 x 3.0	2 x 0.5 (sealed shoulder)	1 x 2.5 (betwee n property boundar y and path) 1 x 1.0 (betwee n path and road shoulder 1 x 3.0 (side without path)	NA	16. 0	NA
Typical P EEMENT © Infrastruct © Socied Sh © Infrastruct © Infrastruct © Infrastruct © Infrastruct Total Wat (Legal Wat Vehicles P Matemum	MBBW In Sem 1 In 3 Jre Bern 2 Jre Bern 1 h h th A Maximum ed 4 Maximum	UX WDH x25m x25m x25m x25m x25m x35m x30m k30m		A			*				
	ROAD										
Peri-urbai Road	n	Disc	retionary	resource c	onsent re	equired					
Rural Connecto	r	Disc	retionary	resource c	onsent re	equired					
National Highway		Disc	retionary	resource c	onsent re	equired					

Size class at maturi ty (Stem diame ter at 1.5m above groun d)	Heigh t at matur ity	Minin um numk r of trees per 100m of road	e di ur in •	orizontal se stances fro derground frastructure Manholes , drainage catchmen ts, surface openings for undergro und infrastruc ture; Trunk water mains; Stormwat er pipes >300mm diameter; Sewer pipes >300mm diameter; Distributi on gas pipelines; and Distributi on or customer connectio n electricity lines	m	gas ines mis ricit	distan (m) • Har sur es	d fac otpa ; iicle ssi ; i son	stru ure (bu she s, gar s e and • Hea y loa stru ure	truct vers htly ded uct s setter rage tc); d avil ded uct s buse	• Str eet ligh ts	Minim um berm Width (m)	Mini um tops dept (m)	oil : h	Minim um soil volum e (m ³)
<300mi Tree sp must be selected the list i Table 3 INF: Str Tree Sp List	ecies + - - - - - - - - - - - - -	3-8	4	0.50	4.	0	0	.6		0.7		5.0	1.5	0.5	10.0
300 - 60 Tree sp must be selected	ecies •	5-10	4	1.5	4.	0	1	.0		1.5		5.0	2.0	0.6	12.0

Table 2 — INF: Street Trees

	t he list in Table 3 — INF: Street Tree Species List									
--	---	--	--	--	--	--	--	--	--	--

Table 3 — INF: Street Tree Species List

Botanical name	Common name	Size class	Height (m)
Acer campestre	Field Maple	<300mm	8
Alnus Cordata	Italian Alder	< 300mm	8
Arbutus unedo	Strawberry Tree	< 300mm	8
Banksia integrifolia	Coast Banksia	<300mm	8
Dodonaea viscosa	Ake Ake	< 300mm	3
Fraxinus griffithii	Evergreen Ash	< 300mm	5
Leptospermum nitidum-	Tea Tree	< <u>300mm</u>	5
Liriodendron Tulipfera Fastigiatum	Upright Tulip Tree	< <u>300mm</u>	8
Melia Azedarach	Persian Lilac	300mm	8
Olea europaea	European Olive	< 300mm	5
Parrotia persica	Persian Ironwood	< 300mm	5
Sophora microphylla	Kowhai	< 300mm	8
Sophora tetraptera	Large-leaved Kowhai	< 300mm	8
Sorbus aucuparia	Mountain Ash	< 300mm	5
Acer negundo	Box Maple	300 - 600mm	40
Cordyline australis	Cabbage Tree	300 - 600mm	8
Eucalyptus ficifolia	Red Flowering Gum	300 - 600mm	8
Fraxinus oxycarpa	Claret Ash	300 - 600mm	10
Ginkgo biloba	Maidenhair Tree	300 - 600mm	10
Ginkgo biloba "Fastigiata"	Upright Maidenhair Tree	300 - 600mm	10
Knightia excelsa	Rewarewa	300 - 600mm	10
Liquidambar styraciflua	American Sweetgum	300 - 600mm	10
Liriodendron Tulipfera	Tulip Tree	300 - 600mm	10
Platanus Acerifolia	London Plane	300 - 600mm	10
Platanus Orientalis	Oriental Plane	300 - 600mm	10
Taxodium Distichum	Swamp Cypress	300 - 600mm	10
Ulmus carpinifolia	Smooth Leaved Lime	300 - 600mm	10
Ulmus Hollandica	Upright Elm	300 - 600mm	10
Zelkova serrata	Zelkova	300 - 600mm	10

Operating speed (km/h)		Minimum K value for Crest Vertical Curves		n K value for ical Curves	Minimum R value for Horizontal Curves
≤20		15	3		20
21-30		17	3		30
31-40		20	3		40
41-50		33	4		50
51-60		50	6		Specific design
61-70		71	8		Specific design
71-80		100	10		Specific design
INF-S <u>13</u> 14	Sight Triangles for Railway Level Crossings				
	Buildings <u>, structures</u> , plantings or other visual obstructions must not be located within the resta sightline areas of railway level crossings as shown in the shaded areas of Figure 1 — INF: Restart Sightlines <u>and Figure 2 – INF: Approach</u> <u>Sightlines</u> below.		he restart as – INF:	infringed: 1. Effects or	iteria where the standard is In the safety and efficiency of Dad transport.

Table 4 — INF: Road Vertical Curves and Horizontal Curves

Figure 1 — INF: Restart Sightlines

Figure 1 – INF: Restart Sightlines





Figure 2 – INF: Approach Sightlines



r		
	a. The direct legal road frontage must	
	have a width of at least 1.8m.	
	2. For sites with no frontage to a road:	
	a. Access must be provided to a road via	
	an access easement with a width of at	
	least 1.8m.	
INF-S16	Connection to roads - driveways	
	1. The number of vehicle crossings per site	
-	 The number of vehicle crossings per site must not exceed one: 	1
	2. The minimum design vehicle for a vehicle	
	crossing is a 5.20m x 1.94m vehicle (99 th	
	percentile vehicle);	
	3. For Urban Roads, the length of a vehicle	
	crossing parallel to the road must be no	
	more than:	
	a. 3m for Driveways Level 1; or	
	b. 6m for Driveways Level 2 and 3.	
	4. For Rural Roads:	
	a. The vehicle crossing must be sealed	
	between the road carriageway and the	
	property boundary; and	
	b. The entry and exit turn radius of the	
	vehicle crossing must each be at least	
	9.0m;	
	5. Where the vehicle crossing incorporates a	
	pedestrian, cycling or micromobility path,	
	the crossfall of the path must meet not	
	exceed 2.5%;	
	6. The vehicle crossing for a site with frontage	
	to two or more roads must connect to the	
	road with the lower number of vehicle	
	movements per day;	
	Vehicle crossings must not be located	
	within 10m of an intersection tangent point	
	as shown as the heavy line between Points	
	A and B in Figure 2 — INF: Vehicle	
	Crossings in Relation to Intersections. In	
	addition, vehicle crossings for Driveways	
	Level 2 and 3 must not be located at the top	
	of a T-intersection as shown as the heavy	
	line between Points C and D in Figure 2 —	
	INF: Vehicle Crossings in Relation to	
	Intersections:	
	7. The distance from vehicle crossings to	
	railway crossings must be at least 30m,	
	measured from the nearest edge of the	
	vehicle crossing to the nearest railway	
	track:	
	8. Connections to the road reserve must	
	provide clear visibility splays for pedestrian	
	safety from 1.0m above ground level as	
	shown in Figure 3 — INF: Driveway	
	Visibility Splays and Sight	
	Distances. Driveways Levels 2 and 3 must	
	provide the visibility splay on the left hand	
	exit side only. For Driveways Level 1 where	
	the driveway is within 2.0m of the adjoining	
	property boundary, the visibility splay is not	
·		

required if a 75mm high speed hump is installed 1.0m from the road boundary; 9. Sight distances from vehicle crossings as shown in Figure 3 — INF: Driveway Visibility Splays and Sight Distances; and 10. Must comply with Table 5 — INF: Minimum Sight Distances at Vehicle Crossings. Note: Limited Access Roads may have additiona	•
or different requirements under the Government Roading Powers Act 1989.	



Figure 3 — INF: Driveway Visibility Splays and Sight Distances

Frontage speed limit		Driveway level 1	Driveways levels 2 & 3
- (km/h)		- Minimum sight distance (m) - (see Figure 3 — INF: Driveway Visibility Splays and Sight Distances)	- Minimum sight distance (m) - (see Figure 3 — INF: Driveway Visibility Splays and Sight Distances)
30		25	25
40		30	35
50		40	45
60		55	65
70		70	85
80		96	105
INF-S17	Intersections		
-	safe connect and must ta traffic flows 2. Intersection 3. Minimum si shown in Fi at Intersecti	s must be designed to ensure stivity of roads for all road users ke into account the expected once development is complete; s must be formed at 90°; and ght distances at intersections as gure 4 INF: Sight Distances ons must comply with Table 6 imum Sight Distances at New S.	

Table 5 — INF: Minimum Sight Distances at Vehicle Crossings

Figure 4 — INF: Sight Distances at Intersections




Table 6 — INF: Minimum Sight Distances at New Intersections

Operating speed (km/h)		Minimum sig	ght distance (m)
of Existing Road		(see Figure 4 — INF: Sight Distances at Intersections)	
<30		50	
≤31-40		75	
41-50		100	
51-60		125	
61-70		150	
71-80		180	
INF-S <u>151618</u>		tained power ructure struc	
	 The structure must not exceed: a. Maximum height above gr of 2.5m; and b. Maximum footprint of 6m² 	round level	 Assessment criteria where the standard is infringed: 1. Local, regional and national benefits of the infrastructure or community facilities; 2. Any adverse effects on the streetscape and the amenity values of the area; 3. The amenity of adjoining sites;

 4. Traffic and pedestrian safety including sightlines and visibility of traffic signage; 5. Design and siting of the infrastructure or community facilities; 6. Any operational or functional needs of the infrastructure or community
facilities; and 7. Any topographical and other site constraints that make compliance with
the permitted standard impracticable.

This entire chapter has been notified using the RMA Part One, Schedule 1 process (P1 Sch1).

Tūāhanga — Takutai Moana

Infrastructure — Coastal Environment

INF-CE Infrastructure — C	coastal Environment
---------------------------	---------------------

Introduction

Г

This sub-chapter applies to infrastructure within the Coastal Environment, including the mapped Moa Point Seawall Area. It applies in addition to the principal Infrastructure chapter.

Note: The objectives of the Infrastructure chapter apply.

Other relevant District Plan provisions

It is important to note that in addition to the provisions in this chapter, the following Part 2: District-Wide chapters may also be of relevance, including:

Subdivision - The Subdivision Chapter contains provisions which manage subdivision of land. Light and glare - The Light Chapter contains specific provisions relating to light spill and the management of effects on residential areas.

Noise - The Noise Chapter contains specific controls in relation to noise, including effects standards NOISE-S1 (maximum noise levels).

Signs - The Signs Chapter contains specific controls in relation to signage, including official signs, the effects of signs on road safety, and third party signage.

Contaminated land - The Contaminated Land Chapter manages the use and development of Contaminated Land or potentially Contaminated Land.

Hazardous substances - The Hazardous Substances Chapter contains provisions to manage Hazardous Substances.

Trees — The Notable Tree chapter contains specific provisions relating to the management of Notable Trees.

Resource consent may therefore be required under rules in this chapter as well as other chapters. Unless specifically stated in a rule or in this chapter, resource consent is required under each relevant rule. The steps to determine the status of an activity are set out in the General Approach chapter.

Policies - Infrastructure		
Infrastructure -	– Coastal Environment	
INF-CE-P14	 Operation, maintenance and repair of existing infrastructure within the coastal environment: Outside of high coastal natural character areas; and 	
	• Outside of coastal and riparian margins. Allow the operation, maintenance, repair and upgrading of existing infrastructure and for new infrastructure within the coastal environment.	
INF-CE-P15	 Operation, maintenance and repair of existing infrastructure within the coastal environment: Within high coastal natural character areas. Provide for the operation, maintenance and repair of existing infrastructure within high coastal natural character areas where: 	

	 Related earthworks are of a scale that maintains or restores the identified values described in SCHED12; and Any significant adverse effects on the natural character are avoided and any other adverse effects on the natural character are avoided, remedied or mitigated.
INF-CE-P16	Operation, maintenance and repair of existing infrastructure within the coastal environment in the Residential Zones, Commercial and Mixed Use Zones, Industrial Zones, Airport, and Port Zones <u>, and the mapped Moa Point Seawall Area that is Natural</u> <u>Open Space Zone</u> :
	• Within coastal and riparian margins. Allow for the operation, maintenance and repair of existing infrastructure within areas of coastal margins and riparian margins in the coastal environment in the Residential Zones, Commercial and Mixed Use Zones, Industrial Zones, Airport, and Port Zones, and the mapped Moa Point Seawall Area that is Natural Open Space Zone.
INF-CE-P17	Operation, maintenance and repair of existing infrastructure within the coastal environment in the Rural Zone and Open Space and Recreation Zones <u>(excluding the mapped Moa Point Seawall Area that is Natural Open Space Zone)</u> :
	• Within coastal and riparian margins. Provide for the operation, maintenance and repair of existing infrastructure within coastal margins and riparian margins in the coastal environment in the Rural Zone and Open Space and Recreation Zones (excluding the mapped Moa Point Seawall Area that is Natural Open Space Zone), where:
	 Related earthworks are of a scale that maintains or restores the natural character; and Any significant adverse effects on the natural character are avoided and any other adverse effects on the natural character are avoided, remedied or mitigated.
INF-CE-P18	Upgrading of existing infrastructure within the coastal environment:
	 Outside of high coastal natural character areas; and
	• Outside of coastal and riparian margins. Allow the upgrading of existing infrastructure within the coastal environment where it is located outside of high coastal natural character areas and outside of coastal and riparian margins.
INF-CE-P19	Upgrading of existing infrastructure within the coastal environment that is located underground or within an existing road reserve:
	• Within high coastal natural character areas. Provide for the upgrading of existing infrastructure within high coastal natural character areas where the infrastructure is located underground or within an existing road reserve.
INF-CE-P20	Upgrading of existing infrastructure within the coastal environment that is located aboveground and outside an existing road reserve:
	• Within high coastal natural character areas. Only allow for the upgrading of existing infrastructure that is located above ground and outside an existing road reserve within high coastal natural character areas where:
	 The activity is of a scale that maintains or restores the identified values described in SCHED<u>12</u>13 or the natural character; Any significant adverse effects are avoided and any other adverse effects are avoided, remedied or mitigated; and There is a functional need or operational need for the activity to be undertaken inside a high coastal natural character areas.

INF-CE-P21	Upgrading of existing infrastructure within the coastal environment of the Residential Zones, Commercial and Mixed Use Zones, Industrial Zones and Special Purpose Zones <u>and the mapped Moa Point Seawall Area that is Natural Open Space Zone</u> :
	• Within coastal and riparian margins. Allow for the upgrading of existing infrastructure within coastal margins and riparian margins in the coastal environment in the Residential Zones, Commercial and Mixed Use Zones, Industrial Zones and Special Purpose Zones, and the mapped Moa Point Seawall Area that is Natural Open Space Zone.
INF-CE-P22	Upgrading of existing infrastructure within the coastal environment of the Rural Zone and Open Space and Recreation Zones <u>(excluding the mapped Moa Point Seawall Area</u> <u>that is Natural Open Space Zone)</u> that is located underground or within an existing road reserve:
	• Within coastal and riparian margins. Provide for the upgrading of existing infrastructure within coastal margins and riparian margins in the coastal environment in the Rural Zones and Open Space and Recreation Zones (excluding the mapped Moa Point Seawall Area that is Natural Open Space Zone) where the infrastructure is located underground or within an existing road reserve.
INF-CE-P23	Upgrading of existing infrastructure within the coastal environment of the Rural Zone and Open Space and Recreation Zones <u>(excluding the mapped Moa Point Seawall Area</u> <u>that is Natural Open Space Zone)</u> that is located aboveground and outside an existing road reserve:
	• Within coastal and riparian margins. Only allow for the upgrading of existing infrastructure that is located above ground and outside an existing road reserve in the Rural Zone and Open Space and Recreation Zones (excluding the mapped Moa Point Seawall Area that is Natural Open Space Zone) within riparian margins and coastal margins in the coastal environment where:
	 The activity is of a scale that maintains or restores the natural character; Any significant adverse effects are avoided and any other adverse effects are avoided, remedied or mitigated; and There is a functional need or operational need for the activity to be undertaken within coastal margins or riparian margins in the coastal environment.
INF-CE-P24	New infrastructure within the coastal environment:
	Outside of high coastal natural character areas; and
	• Outside of coastal and riparian margins. Allow for new infrastructure within the coastal environment where it is located outside of high coastal natural character areas and outside of coastal margins and riparian margins.
INF-CE-P25	New infrastructure within the coastal environment:
	• Within high coastal natural character areas; or within coastal and riparian margins. Only allow for new infrastructure within high coastal natural character areas and within coastal margins and riparian margins in the coastal environment, where:
	 In SCHED 12 areas, t^The activity is of a scale that maintains or restores the identified values described in SCHED12 or the natural character; In other areas not identified in SCHED 12, the activity is of a scale that maintains or restores where appropriate the natural character Any significant adverse effects on high coastal natural character areas or coastal and riparian margins are avoided and any other adverse effects on high coastal natural character areas or mitigated; and There is a functional or operational need for the activity to be undertaken within these areas.

INF-CE-P26	Operation, maintenance and repair of existing National Grid (NG) & Gas Transmission Network Pipeline Corridor (GTPC) infrastructure within the coastal environment
	Allow for the operation, maintenance, repair of existing National Grid (NG) & Gas Transmission Network Pipeline Corridor (GTPC) infrastructure within the coastal environment.
INF-CE-P27	Upgrading of existing National Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure within the coastal environment:
	Outside of high coastal natural character areas; or
	Outside of coastal margins or riparian margins.
	Allow for the upgrading of existing National Grid (NG) & Gas Transmission Network Pipeline Corridor (GTPC) infrastructure within the coastal environment where it is located outside of high coastal natural character areas and outside of coastal margins or riparian margins.
INF-CE-P28	Upgrading of existing National Grid (NG) infrastructure within the coastal environment:
	Within high coastal natural character areas; or
	Within coastal and riparian margins. Provide for the upgrading of existing National Grid (NG) infrastructure within high coastal natural character areas or within coastal margins and riparian margins in the coastal environment where:
	 The activity is of a scale that maintains or restores the identified values described in SCHED12 for natural character; Any significant adverse effects are avoided and any other adverse effects are avoided, remedied or mitigated; and There is a functional need or an operational need for the activity to be undertaken inside a high coastal natural character areas or within coastal margins or riparian margins in the coastal environment.
INF-CE-P <u>28</u> 29	Upgrading of existing Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure within the coastal environment that is located underground or within an existing road reserve:
	Within high coastal natural character areas; or
	• Within coastal and riparian margins. Provide for the upgrading of existing Gas Transmission <u>Network Pipeline Corridor (GTPC)</u> infrastructure within high coastal natural character areas; or within coastal margins and riparian margins where the infrastructure is located underground or within an existing road reserve.
INF-CE-P <u>29</u> 30	Upgrading of existing Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure within the coastal environment that is located aboveground and outside an existing road reserve:
	within High Coastal Natural Character Areas; or
	• within coastal and riparian margins Only allow for the upgrading of existing Gas Transmission <u>Network Pipeline Corridor (GTPC)</u> infrastructure within High Coastal Natural Character Areas; or within coastal margins and riparian margins in the coastal environment that is located above ground or outside an existing road reserve where:
	1. The activity is of a scale that maintains or restores the natural character;

	 Any significant adverse effects are avoided and any other adverse effects are avoided, remedied or mitigated; and There is a functional need or an operational need for the activity to be undertaken inside a High Coastal Natural Character Area or within coastal margins or riparian margins in the coastal environment. 		
INF-CE-P <u>30</u> 31	New National Grid (NG) & Gas Transmission Network Pipeline Corridor (GTPC) infrastructure within the coastal environment:		
	Outside of high coastal natural character areas; or		
	• Outside of coastal or riparian margins. Allow for new National Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure within the coastal environment where it is located outside of high coastal natural character areas and outside of coastal or riparian margins.		
INF-CE-P32	New National Grid (NG) & Gas Transmission Pipeline Corridor (GTPC) infrastructure within the coastal environment:		
	Within high coastal natural character areas; or		
	• Within coastal and riparian margins. Only allow for new National Grid (NG) & Gas Transmission Pipeline Corridor (GTPC) infrastructure within high coastal natural character areas and within coastal margins and riparian margins in the coastal environment where: -		
	 The activity is of a scale that maintains or restores the identified values described in SCHED12 or the natural character; Any significant adverse effects are avoided and any other adverse effects are avoided, remedied or mitigated; and There is a functional or operational need for the activity to be undertaken inside a high coastal natural character areas or within coastal margins or riparian margins in the coastal environment. 		

Rules - Infras	Rules - Infrastructure activities	
INF-CE-R27	Operation, maintenance, repair of existing infrastructure, and customer connections within the coastal environment:	
	Outside of high coastal natural character areas; and	
	Outside of coastal and riparian margins.	
All Zones	1. Activity status: Permitted	
INF-CE-R28	Operation, maintenance and repair of existing infrastructure within the coastal environment:	
	Within high coastal natural character areas.	
All Zones	1. Activity status: Permitted	
	Where:	
	a. Compliance is achieved with INF-S3.	
All Zones	2. Activity status: Restricted Discretionary	
	Where:	
	a. Compliance with INF-S3 cannot be achieved.	

	Matters of discretion are:
	 The matters in INF-CE-P15 and CE-P5; and The matters in PA-P1 and PA-P2.
INF-CE-R29	Operation, maintenance and repair of existing infrastructure within the coastal environment:
	Within coastal or riparian margins.
Residential Zones, Commercial and Mixed Use Zones, Industrial Zones, Special Purpose Zones <u>and</u> the mapped <u>Moa Point</u> <u>Seawall</u> <u>Area that is</u> <u>Natural</u> <u>Open Space</u> <u>Zone</u>	 Activity status: Permitted Where: a. <u>Compliance is achieved with INF-S1; and</u> <u>Compliance is achieved with the following standards:</u>
Rural Zones, Open Space and Recreation Zones (<u>excluding</u> <u>the mapped</u> <u>Moa Point</u> <u>Seawall</u> <u>Area that is</u> <u>Natural</u> <u>Open Space</u> <u>Zone</u>)	 2. Activity status: Permitted Where: a. Compliance is achieved with INF-S3.
Rural Zones, Open Space and Recreation Zones (excluding the mapped Moa Point Seawall Area that is Natural Open Space Zone)	 3. Activity status: Restricted Discretionary Where: a. Compliance with INF-CE-R29.2 cannot be achieved. Matters of discretion are: 1. The matters in INF-CE-P16 and CE-P6; and 2. The matters in PA-P1 and PA-P2.
INF-CE-R30	Upgrading of existing infrastructure and new infrastructure within the coastal environment: Outside of high coastal natural character areas; and

	Outside of coastal and riparian margins.
All Zones	1. Activity status: Permitted
INF-CE-R31	Upgrading of existing infrastructure within the coastal environment:
	Within coastal or riparian margins.
Residential Zones, Commercial and Mixed Use Zones, Industrial Zones, Special Purpose Zones, <u>the</u> <u>mapped Moa</u> <u>Point</u> <u>Seawall</u> <u>Area that is</u> <u>Natural</u> <u>Open Space</u> <u>Zone</u>	1. Activity status: Permitted
Rural Zones Open Space and Recreation Zones (<u>excluding</u> <u>the mapped</u> <u>Moa Point</u> <u>Seawall</u> <u>Area that is</u> <u>Natural</u> <u>Open Space</u> <u>Zone</u>)	 2. Activity status: Permitted Where: a. The infrastructure is located underground; or b. The infrastructure is located within an existing road reserve.
Rural Zones, Open Space and Recreation Zones (excluding the mapped Moa Point Seawall Area that is Natural Open Space Zone)	 Activity status: Restricted Discretionary Where:
INF-CE-R32	Upgrading of existing infrastructure within the coastal environment:
	Within high coastal natural character areas.
All Zones	1. Activity status: Restricted Discretionary
	Where:

	a The infrastructure is leasted underground: or	
	a. The infrastructure is located underground; orb. The infrastructure is located within an existing road reserve.	
	Matters of discretion are:	
	1. The matters in INF-CE-P <mark>17<u>20</u>.</mark>	
All Zones	2. Activity status: Discretionary	
	Where:	
	a. Compliance with any of the requirements of INF-CE-R32.1 cannot be achieved.	
INF-CE-R33	New infrastructure within the coastal environment:	
	Outside of high coastal natural character areas; and	
	Outside of coastal and riparian margins	
All Zones	1. Activity status: Permitted	
INF-CE-R34	New infrastructure within the coastal environment:	
	Within high coastal natural character areas; or	
	Within coastal or riparian margins	
All Zones	1. Activity status: Discretionary	
Policies - Nati	Policies - National Grid (NG) & Gas Transmission Network Pipeline Corridor (GTPC)	
	hal Grid (NG) & Gas Transmission Network Pipeline Corridor (GTPC)	
INF-CE-R35	Operation, maintenance, repair of existing National Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure:	
	Within the coastal environment.	
All Zones	1. Activity status: Permitted	
INF-CE-R36	Upgrading of existing National Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure within the coastal environment:	
	 Outside of high coastal natural character areas; and 	
	 Outside of coastal margins or riparian margins. 	
All Zones	1. Activity status: Permitted	
INF-CE-R37	Upgrading of existing National Grid (NG) infrastructure within the coastal environment:	
	 Within high coastal natural character areas; or 	
	Within coastal or riparian margins.	
All Zones	1. Activity status: Restricted Discretionary Matters of discretion are:	
	- 1. The matters in INF-CE-P23, CE-P5, CE-P6 and CE-P7; and 2. The matters in PA-P1 and PA-P2.	
INF-CE-R <u>37</u> 38	Upgrading of existing Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure within the coastal environment:	

	Within high coastal natural character areas; or
	Within coastal or riparian margins.
All Zones	1. Activity status: Restricted Discretionary
	Where:
	a. The infrastructure is located underground; or b. The infrastructure is located within an existing road reserve. Matters of discretion are:
	 The matters in INF-CE-P23, CE-P5, CE-P6 and CE-P7; and The matters in PA-P1 and PA-P2.
All Zones	2. Activity status: Discretionary
	Where:
	a. Compliance with INF-CE-R38 cannot be achieved.
INF-CE-R <u>38</u> 39	New National Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure within the coastal environment:
	 Outside of high coastal natural character areas; and
	Outside of coastal or riparian margins.
All Zones	1. Activity status: Permitted
INF-CE-R <u>39</u> 40	New National Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure within the coastal environment:
	Within high coastal natural character areas; or
	Within coastal or riparian margins.
All Zones	1. Activity status: Discretionary

Standards		
INF-CE-S16	Hard engineering hazard mitigation structures Moa Point	(seawalls) located between Lyall Bay and
<u>All Zones</u>	 Addition and alteration to, or upgrade of hard engineering hazard mitigation structures (seawalls) located between Lyall Bay and Moa Point: Any addition shall add no more than 1m in vertical projection to the structure, as it existed on the date on [insert date plan is made operative]. 	Assessment criteria where the standard is infringed: 1. The extent to which the additional height is necessary for the hard engineering hazard mitigation structure (seawall) to protect the adjacent regionally significant infrastructure.

This entire chapter has been notified using the RMA Part One, Schedule 1 process (P1 Sch1).

Tūāhanga — Ngā Hanga Māori me Ngā Nohopae

Infrastructure — Natural Features and

Landscapes

INF-NFL Infrastructure — Natural Features and Landscapes

Introduction

This sub-chapter applies to infrastructure within Natural Features and Landscape Overlays. It applies in addition to the principal Infrastructure Chapter.

Note: The objectives of the Infrastructure Chapter apply.

Other relevant District Plan provisions

It is important to note that in addition to the provisions in this chapter, the following Part 2: District-Wide chapters may also be of relevance, including:

Subdivision - The Subdivision Chapter contains provisions which manage subdivision of land. Light and glare - The Light Chapter contains specific provisions relating to light spill and the management of effects on residential areas.

Noise - The Noise Chapter contains specific controls in relation to noise, including effects standards NOISE-S1 (maximum noise levels).

Signs - The Signs Chapter contains specific controls in relation to signage, including official signs, the effects of signs on road safety, and third party signage.

Contaminated land - The Contaminated Land Chapter manages the use and development of Contaminated Land or potentially Contaminated Land.

Hazardous substances - The Hazardous Substances Chapter contains provisions to manage Hazardous Substances.

Trees — The Notable Tree chapter contains specific provisions relating to the management of Notable Trees.

Resource consent may therefore be required under rules in this chapter as well as other chapters. Unless specifically stated in a rule or in this chapter, resource consent is required under each relevant rule. The steps to determine the status of an activity are set out in the General Approach chapter.

Policies

Infrastructure — Natural Features and Landscapes		
INF-NFL- P <u>31</u> 38		
	Allow for the operation, maintenance and repair of existing infrastructure within ridgelines and hilltops.	
INF-NFL- P <u>32</u> 39	Operation, maintenance and repair of existing infrastructure within special amenity landscapes (including within the coastal environment)	

	Allow for the operation, maintenance and repair of existing infrastructure located within special amenity landscapes where:
	 Associated earthworks and vegetation removal are of a scale that maintains or restores the identified values as described in <u>SCHED12SCHED11</u>.
INF-NFL- P <u>33</u> 40	Operation, maintenance and repair of existing infrastructure within outstanding natural features and outstanding natural landscapes (including within the coastal environment)
	Allow for the operation, maintenance and repair of existing infrastructure located within outstanding natural features and outstanding natural landscapes where:
	 Associated earthworks and vegetation removal are of a scale that protects the identified values described in <u>SCHED11SCHED10</u>.
INF-NFL- P3441	Upgrading of existing infrastructure within ridgelines and hilltops
1 34	Allow for the upgrading of existing infrastructure within ridgelines and hilltops where:
	 The activities is compliant with the underlying infrastructure provisions; and Any adverse effects on the visual amenity and landscape values can will be managed.
INF-NFL- P <u>35</u> 4 2	Upgrading of existing infrastructure within a special amenity landscape (including within the coastal environment) that is located underground or within an existing legal road.
	Allow for the upgrading of existing infrastructure within a special amenity landscape area where the infrastructure is located underground or within an existing legal road.
INF-NFL- P <u>36</u> 4 3	Upgrading of existing infrastructure within a special amenity landscape (including within the coastal environment) that is located aboveground and outside an existing legal road
	Provide for the upgrading of existing infrastructure that is located above ground and outside an existing legal road within a special amenity landscape where:
	 The activity is of a scale that maintains or restores the identified values as described in <u>SCHED12SCHED11</u>;
	 If located outside the coastal environment any adverse effects on the identified values <u>can will</u> be avoided, remedied or mitigated;
	 If located within the coastal environment any significant adverse effects on the identified values can will be avoided and any other adverse effects on the identified values can will be avoided, remedied or mitigated; and
	 There is a functional need or an operational need for the activity to be undertaken within the special amenity landscape.
INF-NFL- P <u>37</u> 44	Upgrading of existing infrastructure within outstanding natural features and outstanding natural landscapes (including within the coastal environment) that is located underground or within an existing legal road
	Provide for the upgrading of existing infrastructure within outstanding natural features and outstanding natural landscapes where the infrastructure is located underground or within an existing legal road.
INF-NFL- P <u>38</u> 4 5	Upgrading of existing infrastructure within outstanding natural features and outstanding natural landscapes (including within the coastal environment) that is located above ground and outside an existing legal road
	Only allow for the upgrading of existing infrastructure that is located outside an existing legal road and above ground within outstanding natural features and outstanding natural landscapes where:
	 The activity is of a scale that protects respects the identified values described in SCHED10; and

	 If located outside the coastal environment any significant adverse effects on the identified values can will be avoided and any other adverse effects on the identified values can will be avoided, remedied or mitigated; or If located within the coastal environment any adverse effects on the identified values can will be avoided; and There is a functional need or operational need for the activity to be undertaken within the outstanding natural features and outstanding natural landscapes.
INF-NFL- P <u>39</u> 4 6	New infrastructure within identified ridgelines and hilltops
Р <u>33</u> 40	Allow for the installation of new infrastructure within identified ridgelines and hilltops where:
	 The activities is compliant with the underlying zone provisions and general rules; and Any adverse effects on the visual amenity and landscape values can will be managed.
INF-NFL- P <u>40</u> 47	New infrastructure within a special amenity landscape (including within the coastal environment) that is located underground or within an existing legal road
	Provide for the installation of new infrastructure within special amenity landscapes where the infrastructure is located underground or within an existing legal road.
INF-NFL- P <u>41</u> 4 8	New infrastructure within a special amenity landscape (including within the coastal environment) that is located above ground and outside and existing legal road
	Only allow for new infrastructure that is located outside an existing legal road and above ground within a special amenity landscape where:
	 The activity is of a scale that maintains or restores the identified values as described in SCHED11; If located outside the coastal environment any adverse effects on the identified values can will be avoided, remedied or mitigated; If located within the coastal environment any significant adverse effects on the identified values can will be avoided and any other adverse effects on the identified values can will be avoided and any other adverse effects on the identified values can will be avoided and any other adverse effects on the identified values can will be avoided or mitigated; and There is a functional need or an operational need for the activity to be undertaken within the special amenity landscape.
INF-NFL- P <u>42</u> 4 9	New infrastructure within outstanding natural features and outstanding natural landscapes outside the coastal environment
	Only allow new infrastructure within outstanding natural features and outstanding natural landscapes when located outside the coastal environment, where;
	 The activity is of a scale that protects respects the identified values described in SCHED10; Any significant adverse effects are avoided and any other adverse effects are avoided, remedied or mitigated; and There is a functional need or operational need for the activity to be undertaken within an outstanding natural feature or outstanding natural landscape in the coastal environment.
INF-NFL- P <u>43</u> 50	New infrastructure within outstanding natural features and outstanding natural landscapes within the coastal environment
	Avoid new infrastructure within outstanding natural features and outstanding natural landscapes within the coastal environment, unless it can shown that any adverse effects on the identified values can will be avoided.
INF-NFL- P <u>44</u> 51	Operation, maintenance and repair of existing National Grid (NG) & Gas Transmission Network Pipeline Corridor (GTPC) infrastructure within identified ridgelines and hilltops
	Allow for the operation, maintenance and repair of existing National Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure within identified ridgelines and hilltops.

INF-NFL- P <u>45</u> 52	Operation, maintenance and repair of existing National Grid (NG) & Gas Transmission Network Pipeline Corridor (GTPC) infrastructure within special amenity landscapes (including within the coastal environment)
	Allow for the operation, maintenance and repair of existing National Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure within special amenity landscapes, where:
	1. Associated earthworks and vegetation clearance are of a scale that maintains or restores the identified values described in SCHED11.
INF-NFL- P <u>46</u> 53	Operation, maintenance and repair of existing National Grid (NG) & Gas Transmission Network Pipeline Corridor (GTPC) infrastructure within outstanding natural features and outstanding landscapes (including within the coastal environment)
	Allow for the operation, maintenance and repair of existing National Grid (NG) & Gas Transmission <u>Network Pipeline Corridor (GTPC) infrastructure within outstanding natural features and outstanding landscapes, where:</u>
	1. Associated earthworks and vegetation clearance are of a scale that protects the identified values described in SCHED10.
INF-NFL- P <u>47</u> 54	Upgrading of existing National Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure within identified ridgelines and hilltops
	Allow for the upgrading of existing National Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure within identified ridgelines and hilltops, where:
	 The activities is compliant with the underlying infrastructure provisions; and Any adverse effects on the visual amenity and landscape values can will be managed.
INF-NFL- P <u>48</u> 55	Upgrading of existing National Grid (NG) & Gas Transmission Network Pipeline Corridor (GTPC) infrastructure within a special amenity landscape (including within the coastal environment) that is located underground or within an existing legal road
	Allow for the upgrading of existing National Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure within a special amenity landscape where the infrastructure is located underground or within an existing legal road.
INF-NFL- P <u>49</u> 56	Upgrading of existing National Grid (NG) & Gas Transmission Network Pipeline Corridor (GTPC) infrastructure within special amenity landscapes (outside of the coastal environment) that is located underground or within an existing legal road
	Provide for the upgrading of existing infrastructure (outside <u>the</u> C <u>oastal</u> E <u>nvironment</u>) where the infrastructure is located underground or within an existing legal road.
INF-NFL- P <u>50</u> 57	Upgrading of existing National Grid (NG) & Gas Transmission Network Pipeline Corridor (GTPC) infrastructure within a special amenity landscape (including within the coastal environment) that is located aboveground and outside an existing legal road
	Provide for the upgrading of existing National Grid (NG) & Gas Transmission Network Pipeline Corridor (GTPC) infrastructure that is located above ground and outside an existing road reserve within a special amenity landscape where:
	 The activity is of a scale that maintains or restores the identified values as described in SCHED11;
	 If located outside the coastal environment any adverse effects on the identified values can will be avoided, remedied or mitigated;
	 If located within the coastal environment any significant adverse effects on the identified values can will be avoided and any other adverse effects on the identified values can will be avoided, remedied or mitigated; and
	4. There is a functional need or an operational need for the activity to be undertaken within the special amenity landscape.

INF-NFL- P <u>51</u> 58	Upgrading of existing National Grid (NG) & Gas Transmission Network Pipeline Corridor (GTPC) infrastructure within outstanding natural features and outstanding landscapes (including within the coastal environment)	
	Provide for the upgrading of existing National Grid (NG) & Gas Transmission Network Pipeline Corridor (GTPC) infrastructure within outstanding natural features and outstanding landscapes where:	
	 The activity is of a scale that protects the identified values described in SCHED10; The gas transmission pipelines network infrastructure is located underground or within a road reserve; 	
	 If located outside the coastal environment any significant adverse effects on the identified values can will be avoided and any other adverse effects on the identified values can will be avoided, remedied or mitigated; If located within the coastal environment any adverse effects on the identified values can will on the identified values can will be avoided. 	
	 will be avoided; and 5. There is a functional need or operational need for the activity to be undertaken within the outstanding natural feature or outstanding landscape. 	
INF-NFL- P <u>52</u> 59	New National Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure within the coastal environment	
	Avoid new National Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure within the coastal environment.	
INF-NFL- P <u>535</u> 60	New National Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure within outstanding natural features and outstanding landscapes, special amenity landscapes or identified ridgelines and hilltops, outside the coastal environment	
	Only allow for new National Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure where:	
	 The activity is of a scale that protects the identified outstanding natural feature or outstanding landscape values described in SCHED104; The activity is of a scale that maintains or restores the identified special amenity landscape values described in SCHED11; The activity avoids visually obtrusive structures within the identified ridgeline or hilltop and maintains the visual continuity of undeveloped skyline; 	
	 Any significant adverse effects are avoided and any other adverse effects are avoided, remedied or mitigated; and There is a functional need or an operational need for the activity and associated earthworks and vegetation clearance to be undertaken inside the overlay and there are no reasonably practical alternative locations outside of these areas to minimise the impact. 	
Rules - Infrast	Rules - Infrastructure activities	
INF-NFL- R <u>40</u> 48	Operation, maintenance and repair of existing infrastructure within outstanding natural features and outstanding landscapes, special amenity landscapes or identified ridgelines and hilltops (including within the coastal environment)	
All Zones	1. Activity status: Permitted	
	Where:	
	a. Compliance is achieved with INF-NFL-S <mark>21<u>17</u>.</mark>	
All Zones	2. Activity status: Restricted Discretionary	
	Where:	
	a. Compliance with the requirements of INF-NFL-R4 <mark>0</mark> 9.1 cannot be achieved.	

	Matters of discretion are:
	 The extent and effect of non-compliance with any relevant standard not met as specified in the associated assessment criteria for the infringed standard; and The matters in INF-NFL-P<u>31</u>38 and INF-NFL-P<u>32</u>39.
INF-NFL- R <mark>41</mark> 49	Upgrading of existing infrastructure within the special amenity landscapes or identified ridgelines and hilltops
All Zones	1. Activity status: Permitted
	Where:
	 a. The infrastructure is located underground; or b. The infrastructure is located within an existing road reserve; or c. The upgrade is contained entirely within an existing building or structure.
All Zones	2. Activity status: Restricted Discretionary
	Where:
	a. Compliance with INF-NFL-R4 <u>1</u> 9.1 cannot be achieved.
	Matters of discretion are:
	1. The matters in INF-NFL-P <u>36</u> 43.
INF-NFL- R <u>42</u> 50	Upgrading of existing infrastructure within outstanding natural features and outstanding landscapes
All Zones	1. Activity status: Restricted Discretionary
	Where:
	a. The infrastructure is located outside the coastal environment; and
	b. The infrastructure is located underground; or
	c. The infrastructure is located within an existing road reserve.
All Zones	2. Activity status: Discretionary
	Where:
	a. Compliance with INF-NFL-R <u>42.1</u> 50 cannot be achieved.
INF-NFL- R <u>43</u> 51	New infrastructure within outstanding natural features and outstanding landscapes
All Zones	1. Activity status: Discretionary
	Where:
	a. Located outside the Coastal Environment.
All Zones	2. Activity status: Non-Complying
	Where:
	a. Located within the Coastal Environment.
INF-NFL- R <u>44<mark>52</mark></u>	New infrastructure within special amenity landscapes or identified ridgelines and hilltops

All Zones	1. Activity status: Permitted		
	Where:		
	 a. The infrastructure is located underground; or b. The infrastructure is located within an existing road reserve. 		
All Zones	2. Activity status: Restricted Discretionary		
	Where:		
	a. Compliance with INF-NFL-R <u>44</u> 52.1 cannot be achieved.		
	Matters of discretion are:		
	 The matters in INF-NFL-P<u>4047;</u> The degree to which the structure is integrated into the landform to limit its visibility by the wider community; 		
	The extent to which the structure will result in the removal of existing vegetation contributes to the landscape values;		
	 The extent to which earthworks would modify the existing landform characteristics identified in SCHED112; and 		
	5. The extent to which new planting or landscaping can mitigate the effects on the visual amenity and landscape values.		
Policies - Nati	onal Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corridor (GTPC)		
INF-NFL- P <u>44</u> 51	Operation, maintenance and repair of existing National Grid (NG) & Gas Transmission Network Pipeline Corridor (GTPC) infrastructure within identified ridgelines and hilltops		
	- Allow for the operation, maintenance and repair of existing National Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure within identified ridgelines and hilltops.		
INF-NFL- P <u>4552</u> -	Operation, maintenance and repair of existing National Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure within special amenity landscapes (including within the coastal environment)		
	- Allow for the operation, maintenance and repair of existing National Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure within special amenity landscapes, where: -		
	 Associated earthworks and vegetation clearance are of a scale that maintains or restores the identified values described in SCHED11. 		
INF-NFL- P <u>46</u> 53	Operation, maintenance and repair of existing National Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure within outstanding natural features an outstanding landscapes (including within the coastal environment)		
	Allow for the operation, maintenance and repair of existing National Grid (NG) & Gas Transmission <u>Network Pipeline Corridor (GTPC) infrastructure within outstanding natural</u> features and outstanding landscapes, where:		
	 - 2. Associated earthworks and vegetation clearance are of a scale that protects the identified values described in SCHED10. 		
INF-NFL- P <u>475</u> 4	Upgrading of existing National Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure within identified ridgelines and hilltops		
	- Allow for the upgrading of existing National Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure within identified ridgelines and hilltops, where:		
	- 3. The activities is compliant with the underlying infrastructure provisions; and		

	4. Any adverse effects on the visual amenity and landscape values can <u>will</u> be managed.
INF-NFL- P <u>48</u> 55	Upgrading of existing National Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corride (GTPC) infrastructure within a special amenity landscape (including within the coastal environment) that is located underground or within an existing legal road -
	Allow for the upgrading of existing National Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure within a special amenity landscape where the infrastructure is located underground or within an existing legal road.
INF-NFL- P <u>49</u> 56	Upgrading of existing National Grid (NG) & Gas Transmission <u>Network Pipeline Corrido</u> (GTPC) infrastructure within special amenity landscapes (outside of the coastal environment) that is located underground or within an existing legal road
	Provide for the upgrading of existing infrastructure (outside CE) where the infrastructure is located underground or within an existing legal road.
INF-NFL- P <u>50</u> 57	Upgrading of existing National Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corride (GTPC) infrastructure within a special amenity landscape (including within the coastal environment) that is located aboveground and outside an existing legal road
	Provide for the upgrading of existing National Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure that is located above ground and outside an existing road reserve within a special amenity landscape where:
	 5. The activity is of a scale that maintains or restores the identified values as described in SCHED11; 6. If located outside the coastal environment any adverse effects on the identified values as a scale will be surided remedied or mitigated.
	 can <u>will</u> be avoided, remedied or mitigated; 7. If located within the coastal environment any significant adverse effects on the identified values can <u>will</u> be avoided and any other adverse effects on the identified values can <u>w</u> be avoided, remedied or mitigated; and 8. There is a functional need or an energianal need for the activity to be undertaken within
	8. There is a functional need or an operational need for the activity to be undertaken within the special amenity landscape.
INF-NFL- P <u>51</u> 58	Upgrading of existing National Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corride (GTPC) infrastructure within outstanding natural features and outstanding landscapes (including within the coastal environment)
	Provide for the upgrading of existing National Grid (NG) & Gas Transmission <u>Network</u> Pipelin Corridor (GTPC) infrastructure within outstanding natural features and outstanding landscape where:
	 6. The activity is of a scale that protects the identified values described in SCHED10; 7. The gas transmission pipelines <u>network</u> infrastructure is located underground or within a road reserve;
	 8. If located outside the coastal environment any significant adverse effects on the identific values can <u>will</u> be avoided and any other adverse effects on the identified values can <u>w</u> be avoided, remedied or mitigated; 9. If located within the coastal environment any adverse effects on the identified values can
	 will be avoided; and 10. There is a functional need or operational need for the activity to be undertaken within the outstanding natural feature or outstanding landscape.
INF-NFL- P <u>52</u> 59	New National Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure within the coastal environment
	- Avoid new National Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure within the coastal environment.
INF-NFL-	New National Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure within outstanding natural features and outstanding landscapes, special

	amenity landscapes or identified ridgelines and hilltops, outside the coastal environment	
	- Only allow for new National Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure where: -	
	 6. The activity is of a scale that protects the identified outstanding natural feature or outstanding landscape values described in SCHED11; 7. The activity is of a scale that maintains or restores the identified special amenity landscape values described in SCHED11; 8. The activity avoids visually obtrusive structures within the identified ridgeline or hilltop and maintains the visual continuity of undeveloped skyline; 9. Any significant adverse effects are avoided and any other adverse effects are avoided, remedied or mitigated; and 10. There is a functional need or an operational need for the activity and associated earthworks and vegetation clearance to be undertaken inside the overlay and there are no reasonably practical alternative locations outside of these areas to minimise the impact. 	
	onal Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corridor (GTPC)	
INF-NFL- R <u>45</u> 53	Operation, maintenance and repair of existing National Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure within outstanding natural features and outstanding landscapes, special amenity landscapes or identified ridgelines and hilltops (including within the coastal environment)	
All Zones	1. Activity status: Permitted	
INF-NFL-R54	Upgrading of existing National Grid (NG) infrastructure within outstanding natural features and outstanding landscapes, special amenity landscapes or identified ridgelines and hilltops	
- All Zones	1. Activity status: Restricted Discretionary	
	Where:	
	a. The infrastructure is located outside the coastal environment.	
	- Matters of discretion are:	
	- 1. The matters in INF-NFL-P54, INF-NFL-P55, INF-NFL-R56, INF-NFL-R57 and INF-NFL- R58.	
	2. Activity status: Discretionary	
	Where:	
	a. Compliance with the requirements of INF-NFL-R54.1a cannot be achieved.	
INF-NFL- R <u>46</u> 55	Upgrading of existing Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure within outstanding natural features and outstanding landscapes, special amenity landscapes or identified ridgelines and hilltops	
All Zones	1. Activity status: Restricted Discretionary	
	Where:	
	 a. The infrastructure is located outside the coastal environment; and b. The infrastructure is located underground; or c. The infrastructure is located within an existing legal road. 	
	Matters of discretion are:	
	1. The matters in INF-NFL-P <u>47</u> 54, INF-NFL-P <u>48</u> 55, INF-NFL- R56<u>P49</u> and INF-NFL-R5851 .	

All Zones	2. Activity status: Discretionary		
	Where:		
	a. Compliance with any of the requirements of INF-NFL-R <u>46</u> 55.1 cannot be achieved.		
INF-NFL- R <u>47</u> 56	New National Grid (NG) & Gas Transmission <u>Network Pipeline Corridor (GTPC)</u> infrastructure within outstanding natural features and outstanding landscapes, special amenity landscapes or identified ridgelines and hilltops		
	1. Activity Status: Discretionary		
INF-NFL- R <u>48</u> 57	New National Grid (NG) & Gas Transmission <u>Network</u> Pipeline Corridor (GTPC) infrastructure within outstanding natural features and outstanding landscapes, within the coastal environment		
All Zones	1. Activity status: Non-Complying		
Standards			
INF-NFL- S <u>17</u> 24	Earthworks		
All Zones	1. Earthworks must not exceed: a. More than 50m ³ per transmission line support structure; or b. 100m ³ per access track.	 Assessment criteria: 1. Functional needs or operational needs of infrastructure; and 2. The effect of the activity and removal on the identified biodiversity values of the significant natural area Outstanding Natural Feature and Landscape, Significant Amenity Landscape or Ridgeline and Hilltop (whichever is relevant) and the measures taken to avoid, minimise or remedy the effects on the natural feature or landscape and where relevant the ability to offset biodiversity impacts. 	

This chapter does not contain provisions that have legal effect.

Tūāhanga — <mark>TBC</mark>

Infrastructure — National Grid

Introduction

This sub-Chapter applies to infrastructure within the National Grid Subdivision Corridor Overlays:

The Infrastructure – National Grid sub chapter provides a specific policy framework for the National Grid, and specific rules for activities within the National Grid Yard, and new National Grid Infrastructure within the Coastal Environment overlay, Outstanding Natural Features and Landscapes overlay, Special Amenity Landscapes overlay and Hilltops and Ridgelines overlay. For activities outside these specific overlays, in addition to the policies in the Infrastructure National Grid sub chapter, the Infrastructure chapter applies, as do the Infrastructure - Natural Hazards sub chapter and the Infrastructure – Other Overlays sub chapter.

It applies in addition to the principal Infrastructure Chapter.

Other relevant District Plan provisions

It is important to note that in addition to the provisions in this chapter, the following Part 2: District-Wide chapters may also be of relevance, including:

Subdivision - The Subdivision Chapter contains provisions which manage subdivision of land.

Light and glare - The Light Chapter contains specific provisions relating to light spill and the management of effects on residential areas.

Noise - The Noise Chapter contains specific controls in relation to noise, including effects standards NOISE-S1 (maximum noise levels).

Signs - The Signs Chapter contains specific controls in relation to signage, including official signs, the effects of signs on road safety, and third party signage.

Contaminated land - The Contaminated Land Chapter manages the use and development of Contaminated Land or potentially Contaminated Land.

Hazardous substances - The Hazardous Substances Chapter contains provisions to manage Hazardous Substances.

Resource consent may therefore be required under rules in this chapter as well as other chapters. Unless specifically stated in a rule or in this chapter, resource consent is required under each relevant rule. The steps to determine the status of an activity are set out in the General Approach chapter.

Objective		
Infrastructure — The National Grid		
INF-NG-07	The National Grid The national significance and benefits of the National Grid are recognised, and the National Grid is protected and provided for.	
Policies		

Infrastructure — National Grid			
INF-NG-P58	Benefits of the National Grid Recognise and provide for the benefits of the National Grid by enabling the operation, maintenance and upgrade of the existing National Grid and the establishment of new electricity transmission resources assets.		
INF-NG-P59	Operation, and maintenance and minor upgrade of the National Grid Provide for Enable the operation, maintenance and minor upgrade of the National Grid while managing the adverse effects of these activities, recognising its operational, functional and technical constraints.		
INF-NG-P60	Upgrading and development of the National Grid Recognise and provide for the benefits of the National Grid by enabling the operation, maintenance and upgrade of the existing National Grid and the establishment of new electricity transmission resources.		
INF-NG-P 61 60	 Adverse effects on the National Grid Protect the safe and efficient operation, maintenance and repair, upgrading, removal and development of National Grid from adverse effects by: 1. Avoiding land uses (including sensitive activities) and buildings and structures within the National Grid Yard that may directly affect or otherwise compromise the National Grid 2. Avoiding reverse censitivity adverse effects by: 3. Only allowing subdivision within the National Grid Subdivision Corridor where it can be demonstrated that the National Grid will not be compromised taking into account: a. The impact of the subdivision layout and design on the operation, maintenance, and potential upgrade and development of the National Grid, including the ability for continued reasonable access to existing transmission assets for maintenance, inspections and upgrading; b. The ability of any potential future development to comply with NZECP 34.2001 New Zealand Electrical Code of Practice for Electrical Safety Distances; c. The extent to which the design and layout of the subdivision demonstrates that a suitable building platform(s) for a principal building or dwelling can be provided outside of the National Grid Yard for each new lot; d. The risk to the structural integrity of the National Grid; e. The extent to which the subdivision design and consequential development will minimise the risk of injury and/or property damage from the National Grid and the potential reverse sensitivity on and amenity and nuisance effects of the National Grid assets; f. The nature and location of any proposed vegetation to be planted in the vicinity of the National Grid will not be compromised, taking into account: a. The extent to which the earthworks may compromise the safe access to and operation, maintenance and repair, upgrading and development of the National Grid will not be compromised. 		
	 Provide for the upgrading of the National Grid while: Seeking to avoid adverse effects on areas identified in SCHED10 – Outstanding Natural Features and Landscapes, SCHED12 - High Coastal Natural Character Areas, SCHED8 - Significant Natural Areas, SCHED11 – Special Amenity Landscapes; and remedy or mitigate any adverse effects from the upgrade which cannot be avoided; Having regard to the extent to which adverse effects have been avoided, remedied or mitigated by the route, site and method selection when considering major upgrades; 		

а

·		
	3. Recognising the constraints arising from the operational need, and functional need and <u>technical requirements</u> of the National Grid, when considering measures to avoid, remedy or mitigate any adverse effects;	
	4. Recognising the potential benefits of upgrades to the National Grid to people and	
	communities; and 5. Where appropriate, major upgrades should be used as an opportunity to reduce existing	
	adverse effects of the National Grid.	
INF-NG-P <mark>63<u>62</u></mark>	Development of the National Grid	
	Provide for the development of the National Grid	
	1. In urban zoned areas, development should minimise adverse effects on urban amenity and should avoid material adverse effects on the Commercial and Mixed-Use zones, and areas of high recreational or amenity value and existing sensitive activities.	
	2. Seek to avoid the adverse effects of the National Grid within areas identified in SCHED10	
	 – Outstanding Natural Features and Landscapes, SCHED8 - Significant Natural Areas, and SCHED11 – Special Amenity Landscapes, outside the coastal environment. 	
	3. Where the National Grid has a functional need or operational need to locate within the coastal environment, manage adverse effects by:	
	a. Seeking to avoid adverse effects on areas identified in SCHED10 – Outstanding	
	Natural Features and Landscapes, SCHED12 – High Coastal Natural Character	
	Areas, SCHED8 - Significant Natural Areas, SCHED11 – Special Amenity	
	Landscapes, and the Coastal Margin. b. Where it is not practicable to avoid adverse effects on the values of the areas in	
	SCHED10 – Outstanding Natural Features and Landscapes, SCHED12 - High	
	Coastal Natural Character Areas, SCHED8 - Significant Natural Areas, SCHED11 -	
	Special Amenity Landscapes; and the Coastal Margin because of the functional	
	needs or operational needs of the National Grid, remedy or mitigate adverse effects on those values.	
	c. Seeking to avoid significant adverse effects on:	
	i. other areas of natural character	
	ii. natural attributes and character of other natural features and natural landscapesiii. indigenous biodiversity values that meet the criteria in Policy 11(b) of the NZCPS	
	2010	
	 Avoiding, remedying or mitigating other adverse effects to the extent practicable; and Recognising there may be some areas within SCHED10 – Outstanding Natural 	
	e. Recognising there may be some areas within SCHED10 – Outstanding Natural Features and Landscapes, SCHED12 - High Coastal Natural Character Areas,	
	SCHED8 - Significant Natural Areas, SCHED11 – Special Amenity Landscapes; and	
	the Coastal Margin, where avoidance of adverse effects is required to protect the	
	identified values and characteristics.	
	4. Remedy or mitigate any adverse effects from the operation, maintenance, upgrade, major	
	upgrade or development of the National Grid which cannot be avoided, to the extent practicable; and	
	5. When considering the adverse effects in respect of 1-34 above;	
	a. Have regard to the extent to which adverse effects have been avoided, remedied or	
	mitigated by the route, site and method selection; and	
	 b. Consider the constraints arising from the operational needs, or functional needs or <u>technical constraints</u> of the National Grid, when considering measures to avoid, 	
	remedy or mitigate any adverse effects.	

Rules for Infrastructure — National Grid		
INF-NG-R58	Buildings, structures and activities in the National Grid Yard	
All Zones	1. Activity status: Permitted Where:	

	Т		
	 a. New activities are not a sensitive activity; b. The building or structure is not used for the handling or storage of hazardous substances (Hazardous Substances (Hazard Classification) Notice 2020) with explosive or flammable intrinsic properties (except this does not apply to the accessory use and storage of hazardous substances in domestic-scale quantities); a. Fences do not exceed 2.5m in height; b. The building is an uninhabited farm or horticultural structure or building (but not commercial greenhouses, protective canopies, wintering barns, produce packing facilities, or milking/dairy sheds (excluding ancillary stockyards and platforms); 		
	 facilities, or milking/dairy sheds (excluding ancillary stockyards and platforms); c. Alterations and additions to an existing building or structure for a sensitive activity, which does not involve an increase in the building height or building footprint; d. Construction of an accessory building associated with an existing residential activity that is less than 10m² in footprint and 2.5m in height; e. Infrastructure undertaken by a network utility operator as defined in the Resource Management Act 1991 or any part of electricity infrastructure that connects to the National Grid; and f. Compliance is achieved with INF-NG-S18. 		
All Zones	2. Activity status: Non-complying		
	Where:		
	Where: a. Compliance with INF-NG-R6758.1 cannot be achieved.: or b. The proposal is for one or more of the following activities, buildings or structures: i. A change of use to a sensitive activity within existing buildings or structures; ii. The establishment of a sensitive activity; iii. The use, handling or storage of hazardous substances (Hazardous Substances (Hazardous Substances (Hazard Classification) Notice 2020) with explosive or flammable intrinsic properties (except this does not apply to the accessory use and storage of hazardous substances in domestic-scale quantities): iv. Wintering barns, Commercial greenhouses, Immovable protective canopies, Produce packing facilities, or Milking Sheds; or v. Any building or structure not otherwise provided for under INF-NG-R58.1. Notification status: An application for resource consent made in respect of rule INF-NG-R6758.2 is precluded from being publicly notified. Notice of any application for resource consent under this rule must be served on Transpower New Zealand Limited in accordance with Clause 10(2)(i) of the Resource Management (Forms,		
INF-NG-R59	Fees, and Procedures) Regulations 2003. Operation, maintenance, repair of existing National Grid infrastructure:		
	Within the coastal environment.		
All Zones	1. Activity status: Permitted		
INF-NG-R60	Upgrading of existing National Grid infrastructure within the coastal environment:		
	Outside of high coastal natural character areas; and		
	Outside of coastal margins or riparian margins.		
All Zones	1. Activity status: Permitted		
INF-NG-R61	Upgrading of existing National Grid infrastructure within the coastal environment:		

	Within high coastal natural character areas; or		
	Within coastal or riparian margins.		
All 1. Zones	2. Activity status: Restricted Discretionary Matters of discretion are:		
	1. The matters in INF-NG-P6 <mark>72</mark> .		
INF-NG-R62	New National Grid (NG)) infrastructure within the coastal environment:		
	Outside of high coastal natural character areas; and		
	Outside of coastal or riparian margins.		
All Zones	1. Activity status: Permitted Restricted Discretionary Matters of discretion are:		
	1. <u>The matters in INF-NG-P62</u>		
INF-NG-R63	New National Grid (NG) infrastructure within the coastal environment:		
	Within high coastal natural character areas; or		
	Within coastal or riparian margins.		
All Zones	1. Activity status: Discretionary		
INF-NG-R64	Operation, maintenance and repair of existing National Grid (NG) infrastructure within outstanding natural features and outstanding landscapes, special amenity landscapes or identified ridgelines and hilltops (including within the coastal environment)		
All Zones	1. Activity status: Permitted		
INF-NG-R65	Upgrading of existing National Grid (NG) infrastructure within outstanding natural features and outstanding landscapes, special amenity landscapes or identified ridgelines and hilltops		
All Zones	1. Activity status: Restricted Discretionary Matters of discretion are:		
	1. The matters in INF-NG <u>-</u> P6 <mark>7</mark> 2		
INF-NG-R66	New National Grid (NG) infrastructure within outstanding natural features and outstanding landscapes, special amenity landscapes or identified ridgelines and hilltops, outside the coastal environment		
All Zones	1. Activity status: Restricted Discretionary Matters of discretion are:		
	1. The matters in INF-NG-P58 and INF-NG-P62		
<u>INF-NG-R67</u>	New National Grid (NG) infrastructure within outstanding natural features and outstanding landscapes, special amenity landscapes or identified ridgelines and hilltops, inside the coastal environment		
All Zones	1. <u>Activity status</u> : Discretionary		

Standards		
INF-NG-S18	Buildings, structures and activities in the National Grid Yard	
All Zones	1. <u>All buildings and structures in the National</u> <u>Grid Yard must comply with the New</u>	

Zealand Electrical Code of Practice for Safe	
Electrical Distances (NZECP 34:2001)	
ISSN 01140663 under all transmission line	
and building operating conditions. The	
building or structure must have a minimum	
vertical clearance of 10m below the lowest	
point of a conductor under all transmission	
line and building operating conditions; or	
2. Vehicle access to any National Grid support	
structure must be provided. Must meet the	
safe electrical clearance distances required	
by New Zealand Electrical Code of Practice	
for Safe Electrical Distances (NZECP	
34:2001) ISSN 01140663 under all	
transmission line and building operating	
conditions.	
3. The building or structure must be located at	
least 12m from the outer visible edge of a	
foundation of a National Grid transmission	
line tower or pole, except where it:	
a. Is a fence not exceeding 2.5m in	
height that is located at least:	
i. 6m from the outer visible edge of	
a foundation of a National Grid	
transmission line tower; or	
ii. 5m from the outer visible edge of	
a foundation of a National Grid	
transmission line pole.	
b. Is an artificial crop protection structure	
or crop support structure not	
exceeding 2.5m in height and located	
at least 8m from a National Grid	
transmission line pole that:	
i. Is removable or temporary to	
allow a clear working space of	
12m from the pole for	
maintenance; and	
ii. Allows all weather access to the	
pole and a sufficient area for	
maintenance equipment,	
including a crane; or	
iii. Meets the requirements of	
clause 2.4.1 of New Zealand	
Electrical Code of Practice for	
Safe Electrical Distances	
(NZECP 34:2001) ISSN	
01140663.	

This entire chapter has been notified using the RMA Part One, Schedule 1 process (P1 Sch1).

This chapter contains provisions that have legal effect. They are identified with a

next to the provision. To see more about what legal effect means please click here.

Tūāhanga — Ētahi anō Inaki

Infrastructure — Other Overlays

INF-OL Infrastructure — Other Overlays

Introduction

٩

This sub-Chapter applies to infrastructure within the following Overlays:

- 1. Historic heritage;
- 2. Notable trees;
- 3. Sites and areas of significance to maori; and
- 4. Viewshafts.

It applies in addition to the principal Infrastructure Chapter.

Note: The objectives of the Infrastructure chapter apply.

Other relevant District Plan provisions

It is important to note that in addition to the provisions in this chapter, the following Part 2: District-Wide chapters may also be of relevance, including:

Subdivision - The Subdivision Chapter contains provisions which manage subdivision of land.

Light and glare - The Light Chapter contains specific provisions relating to light spill and the management of effects on residential areas.

Noise - The Noise Chapter contains specific controls in relation to noise, including effects standards NOISE-S1 (maximum noise levels).

Signs - The Signs Chapter contains specific controls in relation to signage, including official signs, the effects of signs on road safety, and third party signage.

Contaminated land - The Contaminated Land Chapter manages the use and development of Contaminated Land or potentially Contaminated Land.

Hazardous substances - The Hazardous Substances Chapter contains provisions to manage Hazardous Substances.

Trees — The Notable Tree chapter contains specific provisions relating to the management of Notable Trees.

Resource consent may therefore be required under rules in this chapter as well as other chapters. Unless specifically stated in a rule or in this chapter, resource consent is required under each relevant rule. The steps to determine the status of an activity are set out in the General Approach chapter.

Policies	
Infrastructure — Other Overlays	
INF-OL-P <u>57</u> 62	Adverse effects of infrastructure on <u>any</u> :
	1. Historic heritage; 2. Notable trees;

	 Sites and areas of significance to Māori; and Viewshafts. 	
	In the overlays identified in clauses 1-4 above For any works on any site identified in SCHED1, 2, 3, 5, 6 or 7:	
	 a. Give priority to avoiding Where practicable, avoid the adverse effects of substantial upgrades to, or the development of new infrastructure, on the values and attributes of the above overlays; and b. Where the avoidance of adverse effects under clause a. is not practicable possible, the appropriateness of the substantial upgrades to, or the development of, new infrastructure will be determined by having regard to the matters listed in INF-P6. 	
Rules for Infrastructure — Other Overlays		
INF-OL- R <mark>5261</mark>	Maintenance or upgrading of existing underground infrastructure in Other Overlays	
All Zones	1. Activity status: Permitted	
	Where:	
	 a. The infrastructure is located within a viewshaft listed in SCHED5; and/or_or b. The maintenance or upgrading does not involve earthworks on ground previously undisturbed by the infrastructure, or is located within a formed road corridor; and or c. Any maintenance or upgrading within the protected root zone of a notable tree complies with TREE-S4. 	
All Zones	2. Activity status: Restricted Discretionary	
	Where:	
	a. Compliance with the requirements of INF-OL-R <u>52.161.1.b</u> cannot be achieved. Matters of discretion are:	
	1. The matters set out in INF-OL-P <u>57</u> 62.	
	Note: This rule only has immediate legal effect for Overlays relating to historic heritage , <u>and</u> sites and areas of significance to Māori and significant natural areas .	
INF-OL-R <u>53</u> 62	New underground infrastructure in Other Overlays	
All Zones	1. Activity status: Permitted	
	Where:	
	 a. The infrastructure is located on site identified in SCHED5 (viewshafts)-<u>; or</u> b. The infrastructure does not involve earthworks on ground previously undisturbed by the any infrastructure, or is located within a formed road corridor; or c. In the case of works within the protected root zone of a notable tree, compliance is achieved with TREE-S4]; and or d. The infrastructure lis a customer connection and the site is not an archaeological site identified in SCHED4 or a Category A or B Site of Significance to Māori identified in SCHED7. 	

All Zones 2. Activity status: Restricted Discretionary Where: a. The infrastructure is located on a site identified in any of the following schedule i. SCHED1 (Heritage buildings); ii. SCHED2 (Heritage structures); iii. SCHED2 (Heritage areas); iv. SCHED4 (Archaeological sites); v. SCHED6 (Notable trees); and v. SCHED6 (Notable trees); and v. SCHED7 (Sites and areas of significance to Māori). Matters of discretion are: 1. The matters set out in INF-OL-P <u>5762</u> . Note: This rule only has immediate legal effect for Overlays relating to historic heritage, and sites and areas of significance to Māori and significant natural areas. INF-OL- R5463 All Zones 1. Activity status: Permitted Where: a. The customer connection line is located on a site identified in any of the follow schedules: i. SCHED3 (Heritage areas); and ii. SCHED4 (Archaeological sites). All Zones 2. Activity Status: Controlled Where: a. The customer connection line is to a: i. Building listed in SCHED1 (Heritage buildings); iidings)	
a. The infrastructure is located on a site identified in any of the following schedule i. SCHED1 (Heritage buildings); ii. SCHED2 (Heritage structures); iii. SCHED3 (Heritage areas); iv. SCHED4 (Archaeological sites); v. SCHED7 (Notable trees); and vi. SCHED7 (Sites and areas of significance to Māori). Matters of discretion are: 1. The matters set out in INF-OL-P <u>5762</u> . Note: This rule only has immediate legal effect for Overlays relating to historic heritage-, and sites and areas of significance to Māori and eignificant natural areas. INF-OL- R5463 All Zones 1. Activity status: Permitted Where: a. The customer connection line is located on a site identified in any of the follow schedules: i. SCHED3 (Heritage areas); and ii. SCHED4 (Archaeological sites). All Zones 2. Activity Status: Controlled Where: a. The customer connection line is to a:	
i. SCHED1 (Heritage buildings); ii. SCHED2 (Heritage structures); iii. SCHED3 (Heritage areas); iv. SCHED4 (Archaeological sites); v. SCHED6 (Notable trees); and vi. SCHED7 (Sites and areas of significance to Māori). Matters of discretion are: 1. The matters set out in INF-OL-P <u>5762</u> . Note: This rule only has immediate legal effect for Overlays relating to historic heritage; and sites and areas of significance to Mãori and significant natural areas. INF-OL- R5463 All Zones 1. Activity status: Permitted Where: a. The customer connection line is located on a site identified in any of the follow schedules: i. SCHED3 (Heritage areas); and i. SCHED4 (Archaeological sites). All Zones 2. Activity Status: Controlled Where: a. The customer connection line is to a:	
1. The matters set out in INF-OL-P <u>5762</u> . Note: This rule only has immediate legal effect for Overlays relating to historic heritage, and sites and areas of significance to Māori and significant natural areas. INF-OL- R5463 New aboveground customer connection lines in Other Overlays All Zones 1. Activity status: Permitted Where: a. The customer connection line is located on a site identified in any of the follow schedules: i. SCHED3 (Heritage areas); and ii. SCHED4 (Archaeological sites). All Zones 2. Activity Status: Controlled Where: a. The customer connection line is to a:	<u>1d</u>
Note: This rule only has immediate legal effect for Overlays relating to historic heritage, and sites and areas of significance to Māori and significant natural areas. INF-OL- R5463 New aboveground customer connection lines in Other Overlays All Zones 1. Activity status: Permitted Where: a. The customer connection line is located on a site identified in any of the follow schedules: i. SCHED3 (Heritage areas); and ii. SCHED4 (Archaeological sites). All Zones All Zones All Zones All Zones Activity Status: Controlled Where: a. The customer connection line is to a: 	<u>1d</u>
sites and areas of significance to Māori and significant natural areas. INF-OL- R5463 New aboveground customer connection lines in Other Overlays All Zones 1. Activity status: Permitted Where: a. The customer connection line is located on a site identified in any of the follow schedules: i. SCHED3 (Heritage areas); and ii. SCHED4 (Archaeological sites). All Zones 2. Activity Status: Controlled Where: a. The customer connection line is to a:	<u>nd</u>
R5463 1. Activity status: Permitted All Zones 1. Activity status: Permitted Where: a. The customer connection line is located on a site identified in any of the follow schedules:	
Where: a. The customer connection line is located on a site identified in any of the follow schedules: i. SCHED3 (Heritage areas); and ii. SCHED4 (Archaeological sites). All Zones 2. Activity Status: Controlled Where: a. The customer connection line is to a:	
a. The customer connection line is located on a site identified in any of the follow schedules: i. SCHED3 (Heritage areas); and ii. SCHED4 (Archaeological sites). All Zones 2. Activity Status: Controlled Where: a. The customer connection line is to a: All Zones Science Controlled Controlled	
schedules: i. SCHED3 (Heritage areas); and ii. SCHED4 (Archaeological sites). All Zones 2. Activity Status: Controlled Where: a. The customer connection line is to a:	
a. The customer connection line is to a:	ng
a. The customer connection line is to a:	
ii. Site or area listed in Category C SCHED7 (Sites and areas of significance Māori);	e to
Matters of control are:	
 The location of the customer connection to the heritage building, or site or area lister Category C SCHED7; The physical impact/loss of damage to heritage fabric; and Visual impact and how the visual impact might affect heritage value, or site or area I in Category C SCHED7. 	
All Zones 3. Activity status: Restricted Discretionary	
Where:	
 a. The customer connection line is located within: i. The root protection area of a notable tree identified in SCHED6; ii. A viewshaft identified in SCHED5; and iii. A site or area listed in Category A or B SCHED7 (Sites and areas of significance to Māori). 	

	Matters of discretion are:	
	1. The matters set out in INF-OL-P <u>57</u> 62.	
	Note: This rule only has immediate legal effect for Overlays relating to historic heritage , <u>and</u> sites and areas of significance to Māori and significant natural areas .	
INF-OL- R <u>5564</u>	Operation, maintenance and repair, or removal, of existing aboveground infrastructure in Other Overlays	
All Zones	1. Activity status: Permitted	
	Note: This rule only has immediate legal effect for Overlays relating to historic heritage, sites and areas of significance to Māori and significant natural areas.	
INF-OL- R <u>5665</u>	Upgrading of existing aboveground infrastructure in Other Overlays	
All Zones	1. Activity status: Permitted	
	Where:	
	 a. The infrastructure is located on a site identified in any of the following schedules: i. SCHED3 (Heritage areas); ii. SCHED4 (Archaeological sites); iii. Category A<u>C</u> of SCHED7 (Sites and areas of significance to Māori); iv. SCHED5 (Viewshafts); and 	
	b. INF-S4 is complied with.	
All Zones	2. Activity Status: Restricted Discretionary	
	Where:	
	 a. The infrastructure is located: On a heritage building identified in SCHED3; On a heritage structure identified in SCHED2; On a heritage structure identified of a notable tree identified in SCHED6; and Within the root protection area of a notable tree identified in SCHED6; and Within a site or area listed in Category A or B of SCHED7 (Sites and areas of significance to Māori). 	
	Matters of discretion are:	
	1. The matters set out in INF-OL-P <u>57</u> 62.	
	Note: This rule only has immediate legal effect for Overlays relating to historic heritage , <u>and</u> sites and areas of significance to Māori and significant natural areas .	
INF-OL-R57	New aboveground infrastructure in Other Overlays	
All Zones	1. <u>Activity status: Permitted</u>	
	Where:	
	 a. The infrastructure is no greater than 2m high and 2m² in gross floor area; b. The infrastructure is located within a formed road corridor; c. In the case of works within the protected root zone of a notable tree, compliance is achieved with TREE-S4]; and d. The infrastructure is not in an archaeological site identified in SCHED4 or a Category A or B Site of Significance to Māori identified in SCHED7. 	

All Zones	2. Activity Status: Restricted Discretionary
	Matters of discretion are:
	1. <u>The matters set out in INF-OL-P57.</u>
	Note: This rule only has immediate legal effect for Overlays relating to historic heritage , and sites and areas of significance to Māori and significant natural areas.
INF-OL- R <u>585766</u>	New aboveground infrastructure and temporary i <u>I</u> nfrastructure in Other Overlays not otherwise provided for
All Zones	1. Activity Status: Restricted Discretionary
	Matters of discretion are:
	2. The matters set out in INF-OL-P <u>57</u> 62.
	Note: This rule only has immediate legal effect for Overlays relating to historic heritage, sites and areas of significance to Māori and significant natural areas.
	Note: This rule only has immediate legal effect for Overlays relating to historic heritage, and sites and areas of significance to Māori and significant natural areas.

Contaminated Land

CL

Contaminated Land

Introduction

The purpose of the Contaminated Land Chapter is to manage the subdivision, use and development of contaminated land or potentially contaminated land to protect human health. The identification of, and management or remediation of contaminated land can provide social, economic, and health benefits for people and communities through enabling future use of the land and development opportunities, including for residential activities and commercial activities.

If a person wants to carry out certain activities on land where a Hazardous Activities and Industries List (HAIL) activity is being, or has been, undertaken the activity must be assessed for compliance in accordance with the Resource Management (National Environmental Standard for Assessing and Managing Contaminants in Soil to Protect Human Health) Regulations 2011 (NES-CS).

Under section 30 of the RMA, the Greater Wellington Regional Council is responsible for the investigation of land for the purposes of identifying and monitoring contaminated land; and for the control of discharges of contaminants into or onto land, air, or water and discharges of water into water. As part of this role, Greater Wellington Regional Council administers the Selected Land Use Register (SLUR) that provides a regional database of sites that have, or may have, been used for activities and industries included in the HAIL established by the Ministry for the Environment. Wellington City Council uses the SLUR and HAIL to identify and record information on contaminated land.

Objectives					
CL-01	Protection of human health from contaminants				
	Contaminated land is identified and managed in order that it remains acceptable and safe for human health and its intended use.				
CL-02	Benefit of remediating contaminated land				
	Remediation and/or site management of contaminated land contributes to the health and wellbeing of communities and increases development opportunity for new use and development.				
Policies					
CL-P1	Benefit of remediating contaminated land				
	Recognise and provide for the benefits of remediation and site management in enabling development opportunities that can contribute to social, economic, and health benefits for people and communities.				
CL-P2	Identification of contaminated and potentially contaminated land				
	Identify contaminated and potentially contaminated land prior to subdivision, change of use or development by: 1. Working with Greater Wellington Regional Council to maintain the Selected Land Use Register; and				

This chapter contains objective and policy guidance for the assessment of resource consent applications required under the NESCS in accordance with the requirements of section 104 of the RMA.

	2. Requiring the investigation of contaminant risks for sites with a history of land use or activity that could have resulted in contamination of soil.
CL-P3	Management of contaminated land
	 Minimise the risk to human health from the subdivision, change of use or specified development of contaminated land by: 1. Encouraging a best practice approach to site management for sites with elevated contaminant levels, which may include remediation, containment, and/or the disposal of contaminated soil; 2. Ensuring the land is safe for its intended use; and 3. Ensuring that land containing elevated levels of contaminants is managed to protect mana whenua's significant sites, waterways, natural resources and associated values and relationships, as well as the general health and wellbeing of their people and rohe including through partnership opportunities for remediation and/or site management.
Rules	
There are no ru	iles in this chapter.

Hazardous Substances

HS

Hazardous Substances

Introduction

The purpose of the Hazardous Substances Chapter is to protect people, communities and identified areas and their values from the residual risk of facilities and activities involving the manufacture, use, storage, transportation or disposal of hazardous substances. This chapter also seeks to separate sensitive activities and hazardous facilities and activities in order to minimise reverse sensitivity effects and unacceptable residual risk.

Hazardous substances are controlled by a wide range of legislation and subordinate instruments, the primary piece of legislation being the Hazardous Substances and New Organisms Act 1996. Additional controls include the Land Transport Act 1998, Building Act 2004, Health and Safety at Work (Major Hazard Facilities) Regulations 2016, and Health and Safety at Work (Hazardous Substances) Regulations 2017. In addition, there are also industry standards that provide guidelines to industry participants. Greater Wellington Regional Council, among other government bodies, also has a role in the management of hazardous substances.

Objectives					
HS-O1	Protection from unacceptable residual risk				
	People, communities, and identified areas are protected from any unacceptable residual risk of facilities and activities involving the manufacture, use, storage, transportation or disposal of hazardous substances.				
HS-O2	Protection of established facilities				
	Sensitive activities are appropriately located to avoid reverse sensitivity effects and unacceptable residual risk from established hazardous facilities.				
Policies					
HS-P1	Residual risk to people and communities				
	Avoid facilities and activities involving the manufacture, use, storage, transportation or disposal of hazardous substances from locating in: <u>A areas</u> where they may adversely affect human health; <u>1. A Natural Hazard Area;</u> <u>2. A Significant Natural Area;</u> <u>3. An Outstanding Natural Feature;</u> <u>4. An Outstanding Natural Landscape;</u> <u>5. A Special Amenity Landscape; and</u> <u>6. A Site or Area of Significance to Māori;</u> unless it can be demonstrated that the residual risk to human health, people and communities or these identified areas and their values will be avoided or, if avoidance is not possible, unacceptable risk is adequately mitigated to an acceptable level.				

The District Plan manages only the residual risk and cumulative risk to the health and wellbeing of people and communities, and adverse effects on identified areas and their values after statutory rules and controls, including any subordinate hazardous substances instruments that are in place are complied with.

<u>HS-P2</u>	Posidual risk to consitive environmente			
	Residual risk to sensitive environments Avoid facilities and activities involving the manufacture, use, storage, transportation or disposal of hazardous substances from locating in: A Significant Natural Area; An Outstanding Natural Feature; An Outstanding Natural Landscape; A Special Amenity Landscape; and A Site or Area of Significance to Māori; unless it can be demonstrated that the residual risk to these identified areas and their values will be avoided or, if avoidance is not possible, mitigated to an acceptable level. 			
HS-P23 Location of hazardous facilities and activities Require a new or expanding activity, including a major hazard facility, involving the manufacture, use, storage, transportation or disposal of hazardous substances to be appropriately located so as to: a. Mitigate the individual and cumulative residual risk associated with activities and facilities locating within close proximity of one another; and b. Avoid unacceptable residual risk to people and sensitive activities by internalisin effects through site layout and design. 				
HS-P <mark>34</mark>	Sensitive activities			
Avoid sensitive activities locating in proximity to a major hazard facility where they have the potential to be exposed to unacceptable residual risk and/or may otherwise constrain the development, operation, upgrading or maintenance of an existing major hazard facility.				
Rules				
HS-R1	The manufacture, use, storage, transportation or disposal of hazardous substances			
1. Activity	1. Activity status: Permitted			
HS-R2	Existing Major Hazard Facility			
1. Activi	ty status: Permitted			
Where: a. The activity does not change the risk profile of the major hazard facility, as measured from the date of notification of this Plan.				
of				
2. Activity s Where: a. Co b. Th	notification of this Plan.			
2. Activity s Where: a. Co b. Th sto Section 88 inf 1. Applio	notification of this Plan. status: Discretionary ompliance with the requirements of HS-R2.1 cannot be achieved; or ere is a more than 10% increase in the volume of hazardous substances manufactured, used,			

<u>General</u> Industrial Zone <u>Special</u> <u>Purpose Port</u> <u>Zone</u>	 Activity status: Discretionary Where:
All other zones	2. Activity status: Non-complying
	Where: a. Compliance with the requirements of HS-R3.1 cannot be achieved.

Ngā Tautuhinga Definitions

Term	Meaning		
HAZARDOUS FACILITY	means land or buildings where hazardous substances are manufactured,		
	used, stored, or disposed of. Excludes:		
	a. fuel stored in mobile plants, motor vehicles, boats or small engines		
	b. the incidental use and storage of hazardous substances in		
	domestic scale quantities.		
HAZARDOUS SUBSTANCES	has the same meaning as in section 2 of the RMA (as set out in the box below)		
	includes, but is not limited to, any substance defined in section 2 of the Hazardous Substances and New Organisms Act 1996 as a hazardous substance. The Hazardous Substances and New Organisms Act 1996 defines hazardous substances as meaning, unless expressly provided otherwise by regulations or an EPA notice, any substance—		
	 a. with 1 or more of the following intrinsic properties: explosiveness: flammability: a capacity to oxidise: corrosiveness: corrosiveness: toxicity (including chronic toxicity): ecotoxicity, with or without bioaccumulation; or b. which on contact with air or water (other than air or water where the temperature or pressure has been artificially increased or decreased) generates a substance with any 1 or more of the properties specified in paragraph (a) 		

MAJOR HAZARD FACILITY	has the same meaning as the Health and Safety at Work (Major Hazard
	Facilities) Regulations 2016 - means a facility that WorkSafe has
	designated as a lower tier major hazard facility or an upper tier major
	hazard facility under regulation 19 or 20.

Tūnuku

Transport

TR

Transport

Introduction

The purpose of the Transport Chapter is to manage on-site transport facilities and the effects of high vehicle trip-generating use and development. Matters concerning the operation, maintenance, repair and renewal, upgrading and development of the transport network and connections to the transport network are provided in the Infrastructure Chapter. This is a result of the RMA definition of infrastructure, which includes "structures for transport on land by cycleways, rail, roads, walkways, or any other means".

Wellington City Council has adopted a 'Sustainable Transport Hierarchy' which has been published as part of the Council's Parking Policy (2020) and Paneke Pōneke Bike Network Plan 2022, which places walking, cycling and public transport at the top of the hierarchy. Private vehicles are towards the bottom of the hierarchy. This reflects the City's goal of being carbon neutral by 2050, and creating a more sustainable transport system to get there. The provisions in this Transport chapter support this goal by requiring the provision of cycling and micromobility parking with new development. This chapter therefore complements the intensification provisions within the zone chapters which seek to provide a more compact urban form close to public transport and the City's walking and cycling network.

This chapter recognises that some activities generate high volumes of traffic which may have significant adverse effects on the transport network and adversely affect the amenity of adjacent land use activities. These activities require assessment to ensure these effects are managed effectively. However, where an activity is not a high vehicle trip-generating use and can be reasonably expected to occur within a zone, then any effects associated with an absence of on-site carparking and associated loss of on street carparking from that activity should not be considered as an adverse residential amenity effect.

On-site transport facilities such as site access, carparking, and parking for bicycles and other micromobility devices also need to be designed effectively to ensure people's safety and wellbeing is maintained. This chapter provides specific design requirements for these facilities.

Overall, the Chapter seeks to:

- Enable a range of transport modes, where the effects of those activities are appropriately managed;
- Encourage the uptake of alternative transport modes other than the private vehicle;
- · Manage any adverse effects arising from high trip generating activities; and
- Maintain the health, safety and wellbeing of on-site transport facilities.

Other relevant District Plan provisions

It is important to note that in addition to the provisions in this chapter, the following Part 2: District-Wide chapters may also be of relevance, including:

- Historic Heritage and Sites and Areas of Significance to Māori Specific provisions for the protection of these sites are located in the Sites and Areas of Significance to Māori Chapter and Historic Heritage Chapter.
- **Earthworks** The Earthworks Chapter manages the adverse effects of earthworks on the environment, including visual amenity values and stability of land plus adverse health and safety effects, damage to property and the creation or increase in the risk of natural hazards.

- Light The Light Chapter contains specific provisions relating to light spill and the management of effects on residential areas.
- **Noise** The Noise Chapter contains specific controls in relation to noise, including effects standards NOISE-S1 (maximum noise levels).
- **Signs** The Signs Chapter contains specific controls in relation to signage, including official signs, the effects of signs on road safety, and third party signage.
- **Contaminated land** The Contaminated Land Chapter manages the use and development of Contaminated Land or potentially Contaminated Land.
- **Hazardous substances** The Hazardous Substances Chapter contains provisions to manage Hazardous Substances.

• **Trees** – The Notable Tree chapter contains specific provisions relating to the management of Notable Trees. Resource consent may therefore be required under rules in this chapter as well as other chapters. Unless specifically stated in a rule or in this chapter, resource consent is required under each relevant rule. The steps to determine the status of an activity are set out in the General Approach chapter.

Objective				
TR-01	Purpose			
	Land use and development is managed to ensure that:			
	 High trip generating activities do not compromise the safety and effectiveness of the transport network; A range of transport modes are provided for; Reliance on private vehicles is reduced; New development provides appropriate on site facilities for evaluation and micromobility. 			
	 New development provides appropriate on-site facilities for cycling and micromobility users; and 			
	 Safe and effective <u>functional</u> on-site parking, loading, access and manoeuvring is provided. Any parking, loading, access and manoeuvring areas provided on-site are safe and functional. 			
Policies				
TR-P1	High <u>vehicle</u> trip generationng use and development			
	Provide for high vehicle trip generating activities where they:			
	 Safely and effectively integrate with the transport network, including planned network upgrades and service improvements; and Provide for pedestrian, cycling, micromobility and public transport modes <u>at an appropriate scale to the nature of the high vehicle trip generating activity;</u> Or Are in the Airport Zone's Terminal Precinct, or-East Side Precinct or South Coast <u>Precinct</u>. 			
TR-P2	Enabled activities			
	Enable on-site transport facilities and driveways that:			
	 Provide for the safe and <u>effective functional</u> use of the site and functioning of the transport network; Meet the reasonable demands of site users; and Promote the uptake and use of pedestrian, cycling, micromobility and public transport modes; <u>and including by providing</u>: a. sheltered, convenient and secure parking for cycles and micromobility devices; and b. showers and lockers where commercial, tertiary education and healthcare developments require more than ten additional long-stay cycle/micromobility device parks. 4. Provide parking for cycles and micromobility devices that is sheltered, convenient and 			
	secure, and end-of-journey showers and lockers for staff in new substantial buildings for commercial, tertiary education and healthcare activities.			
TR-P3	Managed activities			

 Only allow on-site transport facilities and driveways that do not meet standards where: 1. The transport facilities and driveways are effective in meeting the operational needs and functional needs of the activity on the site; 2. The safety and effectiveness of the transport network is not compromised; 3. Public health and safety, including the safety of pedestrians, cyclists and micromobility users travelling through any parking areas, is not compromised; 4. The projected demand for loading spaces or cycling and micromobility parking will be lower than that required in the standards or can be accommodated by public, shared or reciprocal arrangements; 5. Cycling and micromobility parking is provided for in a manner that is adequate for the location and nature of the proposed activity, and that enables the uptake of cycling and micromobility; 6. Safe and effective access for firefighting purposes is provided with reference to NZS 4404:2010 and the New Zealand Fire Service Firefighting Water Supplies Code of Practice SNA PAS 4509:2008; and 7. There are site and topographical constraints that make compliance unreasonable. 			
Connections to roads			
 Enable safe and effective connections between sites and the transport network by requiring connections to roads to address: 1. The One Network Framework classification, characteristics and operating speed of the road and the number and types of vehicles accessing the site; 2. Opportunities to share and minimise the number of connections; 3. Public health and safety including the safe functioning of the transport network and the 			
safety of pedestrians, cyclists and micromobility device users; and 4. Site or topography constraints including reduced visibility.			
Rules: Land use activities			
All activities except for trip generation, site access, on-site cycling and micromobility			
All activities except for trip generation, site access, on-site cycling and micromobility paths, and on-site vehicle parking and manoeuvring			
paths, and on-site vehicle parking and manoeuvring			
paths, and on-site vehicle parking and manoeuvring 1. Activity status: Permitted			
paths, and on-site vehicle parking and manoeuvring 1. Activity status: Permitted Where: a. Compliance with the following standards is achieved: i. TR-S2; ii. TR-S3; iii. TR-S8; and			
paths, and on-site vehicle parking and manoeuvring 1. Activity status: Permitted Where: a. Compliance with the following standards is achieved: i. TR-S2; ii. TR-S3; iii. TR-S8; and iv. TR-S9.			
paths, and on-site vehicle parking and manoeuvring 1. Activity status: Permitted Where: a. Compliance with the following standards is achieved: i. TR-S2; ii. TR-S3; iii. TR-S8; and iv. TR-S9. 2. Activity status: Restricted Discretionary			
paths, and on-site vehicle parking and manoeuvring 1. Activity status: Permitted Where: a. Compliance with the following standards is achieved: i. TR-S2; ii. TR-S3; iii. TR-S8; and iv. TR-S9. 2. Activity status: Restricted Discretionary Where: a. Compliance with any of the requirements of TR-R1 cannot be achieved			
 paths, and on-site vehicle parking and manoeuvring 1. Activity status: Permitted Where: a. Compliance with the following standards is achieved: i. TR-S2; ii. TR-S3; iii. TR-S8; and iv. TR-S9. 2. Activity status: Restricted Discretionary Where: a. Compliance with any of the requirements of TR-R1 cannot be achieved Matters of discretion are: The extent and effect of non-compliance with any relevant Standard as specified in the associated assessment criteria for the infringed standards; and 			
 paths, and on-site vehicle parking and manoeuvring 1. Activity status: Permitted Where: a. Compliance with the following standards is achieved: i. TR-S2; ii. TR-S3; iii. TR-S8; and iv. TR-S9. 2. Activity status: Restricted Discretionary Where: a. Compliance with any of the requirements of TR-R1 cannot be achieved Matters of discretion are: The extent and effect of non-compliance with any relevant Standard as specified in the associated assessment criteria for the infringed standards; and The matters in TR-P3. 			

Terminal Precinct, or East Side Precinct or South Coast Precinct	
All Zones except Airport Zone's Terminal Precinct, East Side Precinct or South Coast Precinct	 2. Activity status: Permitted Where: a. Compliance with TR-S1 is achieved; and <u>c. Tthe activity any increase in vehicle trip generation is not from</u>: i. a service station; or ii. a drive-through activity.
All Zones	3. Activity status: Restricted Discretionary
except Airport Zone's Terminal Precinct, East Side Precinct or South Coast	Where: a. Compliance with any of the requirements of TR-R2.4 <u>2</u> cannot be achieved. Matters of discretion are: 1. The matters in TR-P1.
Precinct	Notification status: An application under Rule TR-R2 is precluded from being publicly notified. Section 88 information requirements for applications: Applications under Rule TR-R1.2.a-2.3 must provide an Integrated Transport Assessment by a suitably qualified transport engineer or transport planner. The Waka Kotahi NZ Transport Agency guidelines "Research Report 422: Integrated Transport Assessment Guidelines, November 2010" should be used to inform any Integrated Transport Assessment.
TR-R3	Site access Driveways
All Zones	1. Activity status: Permitted
	Where: a. Compliance with TR-S5 and TR-S6 is achieved ; and b. The access is not to a State Highway .
All Zones	2. Activity status: Restricted Discretionary Where:
	 a. Compliance with the requirements of TR-R3.1 cannot be achieved. Matters of discretion are: 1. The matters in TR-P3 Notification status: An application under Rule TR-R3 is precluded from being publicly notified.
TR-R4	On-site <u>pedestrian,</u> cycling and micromobility paths
All Zones	1. Activity status: Permitted
	Where:

	a Compliance with TP S4 is achieved				
	a. Compliance with TR-S4 is achieved.				
All Zones	2. Activity status: Restricted Discretionary Where:				
	a. Compliance with the any of the requirements of TR-R4.1.a cannot be achieved. Matters of discretion are:				
	 The matters in TR-P3. Notification status: An application under Rule TR-R4 is precluded from being publicly <u>or limited</u> notified. 				
TR-R5	On-site vehicle parking and manoeuvring <u>, including on-site parking for electric</u> vehicle charging				
All Zones	1. Activity status: Permitted				
	Where:				
	a. Compliance with TR-S7 is achieved <u>; and</u> b. <u>It does not include ramps, turntables, lifts or stackers</u> .				
All Zones	2. Activity status: Restricted Discretionary				
	Where:				
	a. Compliance with the requirements of TR-R5.1 cannot be achieved. Matters of discretion are:				
	 The matters in TR-P3. Notification status: An application under Rule TR-R4<u>5</u> is precluded from being publicly notified 				
TR-R <mark>56</mark>	Car sharing activities				
All Zones	1. Activity status: Permitted Where:				
	a. Compliance with the requirements of TR-S7 is achieved.				
All Zones	2. Activity status: Restricted Discretionary				
	Where:				
	a. Compliance with the requirements of TR-R5.1 cannot be achieved. Matters of discretion are:				
	1. The matters in TR-P3. Notification status: An application under Rule TR-R <mark>56</mark> is precluded from being publicly notified.				
INF-R24 <u>TR-</u> <u>R7</u>	Connections to roads				
All Zones	1. Activity status: Permitted				
	Where:				
	 a. The connection provides site access for sites with no driveway, on-site parking or loading; and b. Compliance is achieved with INF-S16-TR-S10; 				
	or				

All Zones	 c. The connection provides site access to an Urban Road (except a Transit Corridor) or a Rural Road (except National Highway) as identified in-and mapped in the road classification overlay; and d. <u>The access is not to a State Highway; and</u> e. Compliance is achieved with <u>INF-S17_TR-S11</u>. a. Activity status: Restricted Discretionary Where: a. Compliance with the requirements of <u>INF-R24.1-TR-R7.1</u> cannot be achieved. Matters of discretion are: 1. The matters in <u>INF-P13-TR-P4</u>. Notification status: An application under Rule TR-R7 is precluded from being publicly notified. 			
Standards				
TR-S1	Vehicle tr	ip generation		1
1. Activities thresholds		eed the following maximum	vehicle movement	
Type of vehic	le	Maximum number of vehi	cle movements	
Light		200 per day <u>to/from a local road except the state</u> <u>highway</u>		
		100 per day to/from the state highway		
Heavy		8 per week		
a. An on-site generate a. <u>A resid</u> on-site <u>movem</u> <u>i. 2 or 1</u> <u>ii. 3 or</u> b. Vehicle m movemen c. Vehicle m	- carpark ase 10 light vehic ential unit or car parks is nents: fewer bedroo more bedroo novements per ts per day, a novements per	the above assessments: sociated with a residential activated with a residential activated with a residential activated with a residential unit with or considered to generate the froms: 7 per day oms: 7 per day oms: 10 per day er day must be assessed as averaged over a full seven-date averaged over a full seven-date averaged over a full 52-wee	ne or more associated ollowing light vehicle average vehicle ay week; and s average vehicle	
TR-S2	Cycling a	nd M <u>m</u> icromobility device	parking <u>, and staff showe</u>	rs and lockers
TR-S2 Cycling and Mmicromobility device parking must be provided in accordance with Table TR-7. Assessment criteria where the standard is infringed micromobility trips to new buildings for commercial activities, tertiary education and healthcare activities must be provided in accordance with Table TR-7A. Assessment criteria where the standard is infringed micromobility parking, and showed and lockers if relevant, that meets the needs the intended users, in a nearby accessible location; 2. Whether parking can be provided in accordance with Table TR-7A. 3. Site limitations, configuration of buildings and activities, demonstrated user requirements and operational requirements.			Iternative, safe and secure obility parking <u>, and showers</u> ant, that meets the needs of in a nearby accessible n be provided and maintained ling and micromobility parking figuration of buildings and ated user requirements and	

Table 7– TR [moved to landscape-oriented page at end of section for readability in this document]

Table 7A – TR: On-site showers and lockers						
Number of additional long stay cycle/micro-mobility device parks required under Table 7 as a result of construction of a new building for commercial, tertiary education or healthcare activities		obility device parks r Table 7 as a result of f a new building for ertiary education or	Minimum number of showers and lockers required on-site for staff cycling and micromobility trips			
1.	<u>1 – 10</u>		None			
2.	<u>11 – 10</u>	<u>)0</u>		staff cycle/micromobility parks required cycle/micromobility park required		
3.	<u>> 100</u>			staff cycle/micromobility parks required cycle/micromobility park required		
4.	The mir	nimum internal dimensions	of each locker required is: he	ight 85 cm, depth 45 cm, width 20 cm.		
TR	-S3	Cycling and Mmicromot	bility parking design			
re <u>re</u> <u>st</u> sp <u>ar</u>	 Where short stay-cycling and micromobility parequired to be provided by TR-S2, and that are residential unit-specific storage facility such as storage locker dedicated to that residential un stands, aisles and spaces that meet the follow specifications in Figure 1 – TR: Cycle and micromobility and Table 7 – TR: Minimum distance from cer wall or kerb.÷ a. Stands must be sized and spaced to accordimensions of 1200mm high, 1800mm lowide; a. Note that all dimensions in Figure 7B – TR are based on cycle environment of providing for different types of b. Where a range is given, the upper for ease of use, but the lower vas standard. 		d that are not in a lockable, y such as a garage or ential unit, they must include the following minimum and micromobility parking from centre of stand to a ed to accommodate cycle 300mm long and 600mm s in Figure 1 – TR and Table cycle envelopes and a 1.0 m st if using different stands or t types of cycles. , the upper value is preferred e lower value is the minimum	 Assessment criteria where the standard is infringed: 1. The safety and effectiveness of the cycling and micromobility parking spaces; 2. Site limitations, configuration of buildings and activities, user requirements and operational requirements; and 3. The safety of pedestrians, cyclists and micromobility users using the road, accessways and walkways. 		
<u>to/from parking, per Aus</u> <u>1.5 m, or 2.0 m for r</u>			ds that require lifting of the of number of spaces. micromobility parks on a site rge cycles" in Figure 1 – TR.			

securely anchored to an immovable object and must allow	
the frame and at least one wheel to be secured, with the	
frame able to be secured by a U-lock (also known as a "D-	
lock")	
a. Stands must be securely anchored to an	
immovable object.	
b. Stands must allow the cycling or micromobility	
device frame and, in the case of cycles, at least one	
wheel, to be secured.	
2. <u>Short stay C</u> cycling and <u>Mm</u> icromobility parking facilities	
required to be provided by TR-S2 must be located:	
i. So they are easily accessible for users, within 20m of	
the primary entrance;	
ii. So they do not impede <u>are clear of</u> pedestrian	
thoroughfares including areas used by people whose	
mobility or vision is restricted to provide safety for all pedestrians, including at-risk groups such as	
pedestrians, including acrise groups such as pedestrians with mobility and vision impairments, and	
children;	
iii. To be clear of vehicle parking or manoeuvring areas;	
and	
iv. Short stay cycling and micromobility parking facilities	
must <u>To</u> be available during the activity's hours of	
operation and must not be impeded by any structure,	
storage of goods, landscape planting or other use; and	
 Where IL ong stay cycling and micromobility parking spaces are required to be provided by TP S2 : 	
required to be provided by TR-S2 , a. they must be located : I n a covered area where access	
by the general public is excluded, and at least one	
wheel is able to be secured; and	
b. must be electric charging-ready by being serviced with	
an electrical cable conduit from the electricity supply to	
the parking space or the collective parking facility.	
Note: Refer to 'Cycle Parking Planning and Design, Waka Kotahi	
2019'.	

Figure 1 – TR: Cycle and micromobility parking




Table 7B – TR: Minimum distance from centre of stand to a wall or kerb Use this Table when Figure 5A refers to "See Table 5".

	Orientation				
	<u>Parallel</u>				Perpendicular
	<u>0°</u>	<u>22.5°</u>	<u>45°</u>	<u>67.5°</u>	<u>90°</u>
With clearance	<u>0.9 m</u>	<u>1.0 m</u>	<u>1.1 m</u>	<u>1.2 m</u>	<u>1.3 m</u>
Without clearance	<u>0.5 m</u>	<u>0.6 m</u>	<u>0.7 m</u>	<u>0.8 m</u>	<u>0.9 m</u>

Guidance Techni	<u>Note: source of Figure 1-TR and Table 7B-TR is the Cycling parking planning and design: Cycling Network</u> Guidance Technical Note (Version 3, 9 December 2022) Figure 16: cycle parking envelopes, typical stand dimensions and layouts, and Table 5: minimum distance (in metres) from centre of stand to a wall or kerb.					
TR-S4	On-site pedestrian, cycling and micromobility paths					
paths mus a. Provi each b. Provi from that p stora c. Conr road d. Have for pa unit, e. If sta micro <u>whee</u>	destrian, cycling and micromobility t achieve the following: ide pedestrian access from the road to residential unit on the site; ide cycling and micromobility access the road to each building on the site provides cycle and micromobility device ge; nect to minimum width of 1.8m at the boundary; e a minimum formed width of 1.2 m or, aths accessing more than 1 residential 1.5 m; and irs are necessary between cycling and probility storage and the legal road, a eling ramp at least 300 mm wide on one of the stairs must be provided.					
TR-S5	TR-S5 Classification of driveways					
	must be classified according to Table assification of Driveways.					

Table 8 – TR: Classification of driveways

Drivew	vay use	Resulting driveway classification
1.	1-30 light vehicle movements per day*; or	Driveway Level 1
2.	No more than 2 heavy vehicle movement per week**	
3.	31-60 light vehicle movements per day*; or	Driveway Level 2
4.	3-4 heavy vehicle movements per week**	
5. 6.	61-200 light vehicle movements per day*; or 5-8 heavy vehicle movements per week**	Driveway Level 3
7.	201 or more light vehicle movements per day*; or	Specific design as part of High Trip Generating activity consideration
8.	9 or more heavy vehicle movements per week**	

* Vehicle movements per day must be assessed as average vehicle movements per day, averaged over a full seven day week;

** Vehicle movements per week must be assessed as average vehicle movements per week, averaged over a full 52 week year.

TR-S6	Design of driveways	
	um design vehicle used for a driveway 4.91_m x 1.87_m vehicle (85 th	

percentile vehicle); and	
 Driveways must be designed to ach design speeds, minimum widths, ma gradients and seal requirements in Design of Driveways<u>; and</u> 	aximum
 Where driveways will result in any b from the driveway to be more than from a legal road, the full length of t must provide unhindered access for appliances in accordance with the v standards in the NZ Fire Service Fin Water Supplies Code of Practice St 4509:2008. 	70 m away he driveway fire ehicle access efighting

Table 9 – TR: Design of driveways [moved to landscape-oriented page at end of section for readability in this document]

TR-S7	Design requirements for on-site vehi	cle parking, circulation and manoeuvring
associate must be d 1.87_m ve minimum per side te	ovided on a site, car parking spaces and d circulation and manoeuvring areas designed to accommodate a 4.91_m x ehicle (85th percentile vehicle) as the design vehicle, with 300_mm clearance o obstructions and a minimum outside dius of 5.8_m;	
reticulated the develo from the c from a leg supply sy	is located in an area where no fully d water supply system is available, or opment will result in any building served driveway to be more than 70 m away gal road with a fully reticulated water stem including hydrants, then circulation peuvring areas must:	
b. <u>Hav</u> c. <u>Hav</u> d. <u>Be c</u> <u>coul</u> <u>vehi</u> <u>These TR</u> <u>access, c</u>	te a minimum unobstructed width of 4 m; te a minimum formed width of 3.5 m; te a minimum height clearance of 4 m; designed to be free of obstacles that ld hinder access for emergency icles; R-S7.2 standards override other vehicle irculation and manoeuvring standards to t of any conflict.	
a. Con Figu Parl b. Hav any c. Hav <u>vehi</u> <u>doo</u> i.	ng spaces must: nply with the minimum dimensions of ure 5 – TR: Parking and Table 10 – TR: king Space Dimensions; re a maximum gradient of 5% (1 : 20) in direction; and re a minimum height clearance of <u>its</u> icle access and any associated garage r of: 2.3 m for spaces where the general public have access; and 2.1 m for all other spaces; and	

 d. Have a minimum height clearance of its vehicle access and any associaedCommercial/industrial 2.3 d. For residential on-site car parking spaces, be electric vehicle-charging-ready by being serviced with an electrical cable conduit from the electricity supply to the edge of the carpark car parking area; 	
 Blind Car parking aisles closed at one end must extend at least 1 m at the closed end beyond the last parking space they provide access to; 	
 On-site circulation and manoeuvring areas must have a maximum gradient of 12.5% (1 : 8); 	
 6. On-site circulation and manoeuvring areas must be provided so that vehicles can enter and exit the site in a forward direction, except where: a. The site has no more than three parking spaces; b. Any reversing would be for a distance no more than 30_m; and c. The road is a Local Street; 	
 7. On-site circulation and manoeuvring areas must not be located on: a. The public road reserve; or b. Areas provided for parking, loading or storage; and 	
8. On site parking, circulation and manoeuvring must not include ramps, turntables, lifts or stackers. Note: Where parking is provided, the New Zealand	
Building Code D1/AS1 New Zealand Standard for Design for Access and Mobility – Buildings and Associated Facilities (NZS: 4121-2001) sets out requirements for the number and design of parking spaces for people with disabilities and for accessible routes from the parking spaces to the associated activity or road.	


Table 10 – TR: Parking space dimensions

Parking space type	Dimension a* (m)	Dimension b* (m)	Dimension c* (m)	Minimum aisle width (m)
Parallel (permanently unobstructed sides and ends)	-	2.1	6.0	3.6
Additional clearance requirement for each obstructed side or end (e.g. fence, wall, column)	-	+0.3	+0.3	
Perpendicular (permanently unobstructed sides and ends)	-	2.5	5.0	6.2
Additional clearance requirement for each obstructed side or end (e.g. fence, wall, column or inside garage)	-	+0.3	+0.3	

Additional clearance requirement both ends obstructed (e.g. inside garage)	-	-	+0.4	
Additional aisle width for accessing garage door that is less than 2.7_m wide				+0.8
Angle - 60 degrees (permanently unobstructed sides)	2.5	2.9	5.1	4.6
Additional clearance requirement for each obstructed side (e.g. fence, wall, column)	+0.3	+0.33	-	
Additional clearance requirement if one end obstructed (e.g. fence, wall, column)			+0.6	

*Dimensions a, b and c are shown in Figure 5 - TR: Parking

Figure 5 – TR: Parking



area] of less than 450_m²-; and

2. 1. At least one on-site loading area must be provided for on a site with one or more buildings with that have a building footprint [OR gross floor

area] of 450_m ² or more <u>.; and</u>		
TR-S9	Design requirements for on-site load	ing, circulation and manoeuvring
manoeuvri accommod truck as the mm cleara	ding and associated circulation and ng areas must be designed to late an 8.0_m x 2.5_m medium rigid e minimum design vehicle, with 300 nce per side to obstructions and a putside turning radius of 10.0_m;	
2. Loading areas must have a minimum height clearance of 4.5_m; and		
 Loading, circulation and manoeuvring areas must not be located on the public road reserve. 		

INF-S15-<u>TR-</u> <u>S10</u>	Connection to roads – sites with pedestrian, cycling and micromobility site access only				
a. 2. For sites a.	s with frontage to a road: The direct legal road frontage must have a width of at least 1.8m. s with no frontage to a road: Access must be provided to a road via an access easement with a width of at least 1.8m.				
INF-S16-<u>TR-</u> S11	Connection to roads - driveways				
 The number The minimpercentile For Urbanmore than: a. 3_m f b. 6_m f For Rural F a. The work of the constant of the					




Figure 2 – INFTR: Vehicle Crossings in Relation to Intersections




Figure 3 – INFTR: Driveway Visibility Splays and Sight Distances




Table 5 – INFTR: Minimum Sight Distances at Vehicle Crossings

Frontage speed limit	Driveway level 1	Driveways levels 2 & 3
(km/h)	Minimum sight distance (m)	Minimum sight distance (m)
	(see Figure 3 – INF: Driveway Visibility Splays and Sight Distances)	(see Figure 3 – INF: Driveway Visibility Splays and Sight Distances)
30	25	25
40	30	35
50	40	45
60	55	65
70	70	85
80	96	105

Table 7 – TR: Minimum number of on-site cyclin	g and micromobility device parking spaces			
 Neighbourhood Centre and Mixed Use Zones: a) The short stay (visitors) minimum parking requise) b) When 1(a) applies, the minimum number of shore 	nts below do not apply.	r car parks are on site. king spaces required is the lesser of: site; or		
Activity	Minimum number of on-site cycling and micromobility device parking spaces Both short stay and long stay must be provided			
	Short stay (visitors)	Long stay (staff*, residents, students)		
Any activity in the following zones: City Centre Metropolitan Local Centre Neighbourhood Mixed Use	Nil	In accordance with the rest of this table		
3. Commercial activity a. All, except as per specific activity below	Minimum 2, 0.05 per 100m ² GFA or as per specific activity below	Minimum 1, 0.1 per 100m ² GFA or as per specific activity below		
<u>b.</u> Entertainment and Hospitality Activity	0.1 per person that the <u>site</u> is designed to accommodate; or as per specific activity below	Minimum 1, 0.1 per staff member* or as per specific activity below		
4. Community facility	0.1 per person that the <u>site</u> is designed to accommodate	Minimum 1, 0.1 per staff member*		
5. Educational facility	As per specific activities below			
a. Childcare services	Minimum 2	Minimum 1,		

			0.1 per staff member*	
	<u>b.</u> Tertiary education facility	Minimum 2	Minimum 1, 0.1 per student and 0.1 per staff member*	
6. Emergency service facilities		Minimum 2	Minimum 1, 0.1 per staff member*	
7. Healthcare activity		Minimum 2, 1 per 100m ² GFA	Minimum 1, 0.1 per staff member*	
8. Industrial activity		Minimum 2	Minimum 1, 0.1 per 100m²GFA	
<u>9.</u> Residenti	ial <u>a. All, (except as provided per</u> specific below)	1 per 10 <u>residential units</u>	Minimum 1 per <u>residential unit</u> **	
	b. In the City Centre Zone	<u>1 per 10 residential units</u>	Minimum 0.5 per residential unit**	
	<u>C.</u> Hostels	1 per 10 beds	Minimum 1, 1 per 3 beds	
	d. Retirement villages	Minimum 1, plus 0.1 per residential unit	Minimum 1, plus Minimum 0.1 per residential unit** and 0.1 per staff member*	

* The number of staff members is the maximum number of full or part time staff members on the <u>site</u> at any one time.

** The cycle and micromobility device parking space cannot be located within the residential unit itself. A lockable, residential unit-specific storage facility such as a garage or storage locker is an acceptable solution, provided it can fit the cycle space dimensions in Figure 1 – TR: Cycle and micromobility parking. This may be a communal facility.

Table 9 – TR: Design of driveways

Classificati		Maximum gradient	Minimum Width (m)				
	speed (km/h)		Footpath	Cycling and micromobility	Vehicles: must provide unhindered vehicle, <u>cycling and micromobility</u> access)	Infrastructure berm	Overall legal width

Driveway Level 1	• 10	 25% (1:4) 2_m transition length for changes in grade >12.5% (1: 8) For sites where the driveway rises to meet the road, 5% (1: 20) maximum gradient within 6 m of road boundary 	• Shared in vehicle lane	Shared in vehicle lane	 1 x 3.0 Passing bays at 50_m maximum spacing; Clear line of sight between passing bays 	Shared in vehicle lane	• 3.0 + any passing bays
Driveway Level 2	• 10	 20% (1:5) 2_m transition length for changes in grade >12.5% (1:8) For sites where the driveway rises to meet the road, 5% (1:20) maximum gradient within 6 m of road boundary 	• 1 x 1.0	Shared in vehicle lane	 2 x 3.0 for the first 6.0 m from the road boundary; 1 x 3.0 for the rest of the driveway; Passing bays at 50 m maximum spacing; Clear line of sight between passing bays 	Shared in vehicle lane	• 4.0 + any passing bays
Driveway Level 3	• 20	 16% (1 : 6.25) 2_m transition length for changes in grade >12.5% (1 : 8) For sites where the driveway rises to meet the road, 5% (1 : 20) maximum gradient within 6 m of road boundary 	• 1 x 1.5	Shared in vehicle lane	• 2 x 3.0	• 1 x 1.0	• 8.5